

# 非平衡磁性材料の研究開発プロジェクト

牧野 彰宏

MAKINO Akihiro

教授

未来科学技術共同研究センター 開発研究部 非平衡磁性材料の研究開発プロジェクト

## 研究論文

- 1) COMPARISON OF AUGER-ELECTRON SPECTROSCOPY AND ETCHING METHOD FOR ANALYSIS OF GRAIN-BOUNDARY SEGREGATION OF PHOSPHORUS. [SCRIPTA METALLURGICA, **14** (8), (1980), 887-889]  
OGURA T, MAKINO A, MASUMOTO T
- 2) 低合金 CrMo 鋼および二, 三の鉄合金への粒界腐食法の適用. [日本金属学会誌, **45** (11), (1981), 1180-1186]  
小倉次夫 牧野彰宏 増本 健
- 3) リンの粒界偏析量分析法としての粒界腐食法の検討. [日本金属学会誌, **45** (10), (1981), 1093-1101]  
小倉次夫 牧野彰宏 増本 健
- 4) A GRAIN-BOUNDARY ETCHING METHOD FOR THE ANALYSIS OF INTERGRANULAR P-SEGREGATION IN IRON-BASED ALLOYS. [METALLURGICAL TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE, **15** (8), (1984), 1563-1570]  
OGURA, T; MAKINO, A; MASUMOTO, T
- 5) HIGH-FREQUENCY PROPERTIES IN A PARTICLE-DISPERSED AMORPHOUS CO<sub>70.5</sub>FE<sub>4.5</sub>SI<sub>10</sub>B<sub>15</sub> COMPOSITE WITH ZERO MAGNETOSTRICTION. [JOURNAL OF NON-CRYSTALLINE SOLIDS, **61-2** (JAN), (1984), 1335-1340]  
KIMURA H, MASUMOTO T, MAKINO A, SASAKI T
- 6) HIGH SATURATION MAGNETIZATION AND SOFT MAGNETIC-PROPERTIES OF BCC FE-ZR-B ALLOYS WITH ULTRAFINE GRAIN-STRUCTURE. [MATERIALS TRANSACTIONS JIM, **31** (8), (1990), 743-746]  
SUZUKI, K; KATAOKA, N; INOUE, A; MAKINO, A; MASUMOTO, T
- 7) 2-STAGE EMBRITTLEMENT OF CO-FE-SI-B AMORPHOUS-ALLOYS WITH ZERO MAGNETOSTRICTION. [JOURNAL OF MATERIALS SCIENCE LETTERS, **9** (9), (1990), 1112-1114]  
MAKINO, A; INOUE, A; MASUMOTO, T
- 8) COMPOSITIONAL EFFECT ON SOFT MAGNETIC-PROPERTIES OF CO-FE-SI-B AMORPHOUS-ALLOYS WITH ZERO MAGNETOSTRICTION. [MATERIALS TRANSACTIONS JIM, **31** (10), (1990), 884-890]  
MAKINO, A; INOUE, A; MASUMOTO, T
- 9) COMPOSITIONAL EFFECT ON THE CRYSTALLIZATION BEHAVIOR OF CO-FE-SI-B AMORPHOUS-ALLOYS WITH ZERO MAGNETOSTRICTION. [MATERIALS TRANSACTIONS JIM, **31** (10), (1990), 891-897]  
MAKINO, A; INOUE, A; MASUMOTO, T
- 10) HIGH SATURATION MAGNETIZATION AND SOFT MAGNETIC-PROPERTIES OF BCC FE-ZR-B AND FE-ZR-B-M (M = TRANSITION-METAL) ALLOYS WITH NANOSCALE GRAIN-SIZE. [MATERIALS TRANSACTIONS JIM, **32** (1), (1991), 93-102]  
SUZUKI, K; MAKINO, A; KATAOKA, N; INOUE, A; MASUMOTO, T
- 11) LOW CORE LOSS OF A BCC FE<sub>86</sub>ZR<sub>7</sub>B<sub>6</sub>CU<sub>1</sub> ALLOY WITH NANOSCALE GRAIN-SIZE. [MATERIALS TRANSACTIONS JIM, **32** (6), (1991), 551-556]  
MAKINO, A; SUZUKI, K; INOUE, A; MASUMOTO, T

- 12) CHANGES IN MICROSTRUCTURE AND SOFT MAGNETIC-PROPERTIES OF AN FE<sub>86</sub>ZR<sub>7</sub>B<sub>6</sub>CU<sub>1</sub> AMORPHOUS ALLOY UPON CRYSTALLIZATION. [MATERIALS TRANSACTIONS JIM, **32** (10), (1991), 961-968]  
SUZUKI, K; KIKUCHI, M; MAKINO, A; INOUE, A; MASUMOTO, T
- 13) SOFT MAGNETIC-PROPERTIES OF BCC FE-M-B-CU (M = TI, NB OR TA) ALLOYS WITH NANOSCALE GRAIN-SIZE. [JAPANESE JOURNAL OF APPLIED PHYSICS PART 2-LETTERS, **30** (10A), (1991), L1729-L1732]  
SUZUKI, K; MAKINO, A; INOUE, A; MASUMOTO, T
- 14) Soft Magnetic Properties of Nanocrystalline bcc Fe-Zr-B and Fe-M-B-Cu (M = Transition Metal) Alloys with High Saturation Magnetization. [J. Appl. Phys., **70** (10), (1991), 6232-6237]  
K. Suzuki, A. Makino, A. Inoue and T. Masumoto
- 15) SOFT MAGNETIC-PROPERTIES OF SINGLE CRYSTALLINE MN-ZN FERRITES CONTAINING ER<sub>2</sub>O<sub>3</sub>. [MATERIALS TRANSACTIONS JIM, **32** (12), (1991), 1177-1179]  
MIZUSHIMA, T; MAKINO, A; KANEKO, F; KOBAYASHI, S
- 16) SOFT MAGNETIC-PROPERTIES OF BCC FE-ZR-B SPUTTERED FILMS WITH NANOSCALE GRAIN-SIZE. [MATERIALS TRANSACTIONS JIM, **33** (1), (1992), 80-86]  
MAKINO, A; SUZUKI, K; INOUE, A; MASUMOTO, T
- 17) SOFT-MAGNETIC PROPERTIES OF FE-HF-B TERNARY ALLOYS WITH NANOSCALE BCC STRUCTURE. [JOURNAL OF THE JAPAN INSTITUTE OF METALS, **57** (8), (1993), 964-971]  
SUZUKI, K; MAKINO, A; INOUE, A; MASUMOTO, T
- 18) LOW CORE LOSSES OF NANOCRYSTALLINE FE-M-B (M=ZR, HF, OR NB) ALLOYS. [JOURNAL OF APPLIED PHYSICS, **74** (5), (1993), 3316-3322]  
SUZUKI K, MAKINO A, INOUE A, MASUMOTO T
- 19) STRUCTURE AND MAGNETIC-PROPERTIES OF FE-HF-O SPUTTERED FILMS WITH HIGH ELECTRICAL-RESISTIVITY. [JOURNAL OF THE JAPAN INSTITUTE OF METALS, **57** (11), (1993), 1301-1309]  
MAKINO, A; HAYAKAWA, Y
- 20) FORMATION OF NANOCRYSTALLINE STRUCTURES BY CRYSTALLIZATION OF AMORPHOUS FE-M-B (M=IVA TO VIA GROUP METAL) ALLOYS. [SCIENCE REPORTS OF THE RESEARCH INSTITUTES TOHOKU UNIVERSITY SERIES A-PHYSICS CHEMISTRY AND METALLURGY, **39** (2), (1994), 133-140]  
SUZUKI, K; MAKINO, A; INOUE, A; MASUMOTO, T
- 21) SOFT-MAGNETIC PROPERTIES OF SPUTTERED BCC FE-NB-B FILMS WITH NANOSCALE GRAIN-SIZE. [JOURNAL OF THE JAPAN INSTITUTE OF METALS, **58** (1), (1994), 106-112]  
MAKINO, A; ARANO, S; INOUE, A; MASUMOTO, T
- 22) SPUTTERED FE-HF-O FILMS WITH HIGH ELECTRICAL-RESISTIVITY AND GOOD SOFT-MAGNETIC PROPERTIES. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **182**, (1994), 1020-1024]  
MAKINO, A; HAYAKAWA, Y
- 23) MAGNETIC-PROPERTIES AND CORE LOSSES OF NANOCRYSTALLINE FE-M-B (M-EQUIVALENT-TO-ZR, HF OR NB) ALLOYS. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **179**, (1994), 127-131]  
MAKINO, A; SUZUKI, K; INOUE, A; MASUMOTO, T
- 24) MICROSTRUCTURE OF NANOCRYSTALLINE BCC FE-M-B (M-EQUIVALENT-TO-NB, HF) SOFT-MAGNETIC ALLOYS. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **179**, (1994), 495-500]  
MAKINO, A; YAMAMOTO, Y; HIROTSU, Y; INOUE, A; MASUMOTO, T

- 25) THE ROLE OF BORON IN NANOCRYSTALLINE FE-ZR-B SOFT-MAGNETIC ALLOYS. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **179**, (1994), 501-505]  
SUZUKI, K; MAKINO, A; TSAI, AP; INOUE, A; MASUMOTO, T
- 26) PRODUCTION OF NANOCRYSTALLINE BCC FE-NB-B BULK ALLOYS BY WARM EXTRUSION AND THEIR MAGNETIC-PROPERTIES. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **179**, (1994), 511-515]  
KOJIMA, A; HORIKIRI, H; KAWAMURA, Y; MAKINO, A; INOUE, A; MASUMOTO, T
- 27) MAGNETIC-PROPERTIES AND MICROSTRUCTURE OF NANOCRYSTALLINE BCC FE-M-B (M=ZR, HF, NB) ALLOYS. [JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, **133** (1月3日), (1994), 329-333]  
MAKINO, A; SUZUKI, K; INOUE, A; HIROTSU, Y; MASUMOTO, T
- 28) CORE LOSSES AND MAGNETIC-PROPERTIES OF MN-ZN FERRITES WITH FINE-GRAIN SIZES. [JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, **133** (1-3), (1994), 500-503]  
YAMAMOTO, Y; MAKINO, A
- 29) HIGH-RESOLUTION ELECTRON-MICROSCOPY STUDY OF MICROSTRUCTURAL CHANGES IN MAGNETIC FE-NB-B FILMS IN THE COURSE OF ANNEALING. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **179**, (1994), 487-490]  
NAKAMURA M, HIROTSU Y, ANAZAWA K, MAKINO A, INOUE A, MASUMOTO T
- 30) MICROSTRUCTURE AND MAGNETIC-PROPERTIES OF NANOCRYSTALLINE BCC FE-NB-B SOFT-MAGNETIC ALLOYS. [IEEE TRANSACTIONS ON MAGNETICS, **30** (6), (1994), 4848-4850]  
MAKINO, A; YOSHIDA, S
- 31) Soft-magnetic properties of Cu-free, Fe-based nanocrystalline alloys. [MATERIALS SCIENCE FORUM, **179**, (1995), 497-505]  
INOUE, A., MAKINO, A., MASUMOTO, T
- 32) Soft magnetic properties of nanocrystalline Fe-M-b(M=Zr, Hf, Nb) alloys with high magnetization. [NANOSTRUCTURED MATERIALS, **6** (5月8日), (1995), 985-988]  
Makino, A; Inoue, A; Masumoto, T
- 33) Soft magnetic properties of Fe-M-O (M=Hf, Zr, Y, Ce) films with high electrical resistivity. [NANOSTRUCTURED MATERIALS, **6** (5月8日), (1995), 989-992]  
Hayakawa, Y; Makino, A
- 34) HARD MAGNETIC-PROPERTIES OF NANOCRYSTALLINE FE-ND-B ALLOYS CONTAINING ALPHA-Fe AND INTERGRANULAR AMORPHOUS PHASE. [MATERIALS TRANSACTIONS JIM, **36** (5), (1995), 676-685]  
INOUE, A; TAKEUCHI, A; MAKINO, A; MASUMOTO, T
- 35) NANOCRYSTALLINE MIXED STRUCTURE PREPARED BY CRYSTALLIZATION OF CU-AG-LA AMORPHOUS-ALLOYS. [MATERIALS TRANSACTIONS JIM, **36** (6), (1995), 697-704]  
INOUE, A; PARK, J; MAKINO, A; MASUMOTO, T
- 36) NANOCRYSTALLINE SOFT-MAGNETIC FE-M-B (M=ZR, HF, NB) ALLOYS PRODUCED BY CRYSTALLIZATION OF AMORPHOUS PHASE (OVERVIEW). [MATERIALS TRANSACTIONS JIM, **36** (7), (1995), 924-938]  
MAKINO, A; INOUE, A; MASUMOTO, T
- 37) SOFT-MAGNETIC PROPERTIES OF NANOCRYSTALLINE BCC FE-(NB, ZR)-B BULK ALLOYS CONSOLIDATED BY WARM EXTRUSION. [MATERIALS TRANSACTIONS JIM, **36** (7), (1995), 945-951]  
KOJIMA, A; HORIKIRI, H; MAKINO, A; KAWAMURA, Y; INOUE, A; MASUMOTO, T

- 38) CRYSTALLIZATION PROCESS OF AMORPHOUS FE-TA-C ALLOY-FILMS AND THERMAL-STABILITY OF THE RESULTANT SOFT-MAGNETIC NANOCRYSTALLINE STATE. [MATERIALS TRANSACTIONS JIM, **36** (7), (1995), 952-961]  
 HASEGAWA, N; MAKINO, A; KATAOKA, N; FUJIMORI, H; TSAI, AP; INOUE, A; MASUMOTO, T
- 39) HARD MAGNETIC-PROPERTIES OF NANOCRYSTALLINE FE-RICH FE-ND-B ALLOYS PREPARED BY PARTIAL CRYSTALLIZATION OF AMORPHOUS PHASE. [MATERIALS TRANSACTIONS JIM, **36** (7), (1995), 962-971]  
 INOUE, A; TAKEUCHI, A; MAKINO, A; MASUMOTO, T
- 40) HARD MAGNETIC-PROPERTIES OF FE-ND-B ALLOYS CONTAINING INTERGRANULAR AMORPHOUS PHASE. [IEEE TRANSACTIONS ON MAGNETICS, **31** (6), (1995), 3626-3628]  
 INOUE, A; TAKEUCHI, A; MAKINO, A; MASUMOTO, T
- 41) SOFT-MAGNETIC PROPERTIES AND MICROSTRUCTURE OF NANOCRYSTALLINE FE-HF-N SPUTTERED FILMS. [IEEE TRANSACTIONS ON MAGNETICS, **31** (6), (1995), 3874-3876]  
 MAKINO, A; HAYAKAWA, Y
- 42) Microstructure and soft magnetic properties of nanocrystalline Fe-Zr-B-Al, Fe-Zr-B-Si and Fe-Zr-B-Al-Si alloys with zero magnetostriction. [MATERIALS TRANSACTIONS JIM, **37** (1), (1996), 78-88]  
 Inoue, A; Miyauchi, Y; Makino, A; Masumoto, T
- 43) Soft-magnetic properties of nanocrystalline Fe-Zr-B-Ni bulk alloy produced by warm extrusion. [JAPANESE JOURNAL OF APPLIED PHYSICS PART 2-LETTERS, **35** (1A), (1996), L19-L22]  
 Kojima, A; Makino, A; Kawamura, Y; Inoue, A; Masumoto, T
- 44) Magnetic domain structure correlated with the microstructure of nanocrystalline Fe-M-B (M=Zr,Nb) alloys. [SCIENCE REPORTS OF THE RESEARCH INSTITUTES TOHOKU UNIVERSITY SERIES A-PHYSICS CHEMISTRY AND METALLURGY, **42** (1), (1996), 107-113]  
 Makino, A; Hatanai, T; Yamamoto, Y; Hasegawa, N; Inoue, A; Masumoto, T
- 45) Soft magnetic properties of nanocrystalline Fe-M-(B and/or O) (M=group IV A, V A elements) alloy films. [SCIENCE REPORTS OF THE RESEARCH INSTITUTES TOHOKU UNIVERSITY SERIES A-PHYSICS CHEMISTRY AND METALLURGY, **42** (1), (1996), 115-119]  
 Hayakawa, Y; Makino, A; Inoue, A; Masumoto, T
- 46) High permeability and low core losses of nanocrystalline Fe-Nb-Zr-B-Cu alloys. [SCIENCE REPORTS OF THE RESEARCH INSTITUTES TOHOKU UNIVERSITY SERIES A-PHYSICS CHEMISTRY AND METALLURGY, **42** (1), (1996), 121-125]  
 Makino, A; Hatanai, T; Yoshida, S; Hasegawa, N; Inoue, A; Masumoto, T
- 47) Soft magnetic properties of bulk nanocrystalline Fe-(Zr,Hf)-B alloys produced by extruding amorphous powders. [SCIENCE REPORTS OF THE RESEARCH INSTITUTES TOHOKU UNIVERSITY SERIES A-PHYSICS CHEMISTRY AND METALLURGY, **42** (1), (1996), 127-132]  
 Kojima, A; Horikiri, H; Kawamura, Y; Makino, A; Inoue, A; Masumoto, T
- 48) Soft and hard magnetic properties of nanocrystalline Fe-M-B (M=Zr,Nd) base alloys containing intergranular amorphous phase. [SCIENCE REPORTS OF THE RESEARCH INSTITUTES TOHOKU UNIVERSITY SERIES A-PHYSICS CHEMISTRY AND METALLURGY, **42** (1), (1996), 143-156]  
 Inoue, A; Takeuchi, A; Makino, A; Masumoto, T
- 49) Microstructure and magnetoresistance of Fe-Hf-O films with high electrical resistivity. [JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, **154** (2), (1996), 175-182]  
 Hayakawa, Y; Hasegawa, N; Makino, A; Mitani, S; Fujimori, H
- 50) Hard and soft magnetic properties of nanocrystalline containing intergranular amorphous phase. [JOURNAL OF APPLIED PHYSICS, **79** (8), (1996), 4836-4836]  
 Inoue, A; Kojima, A; Takeuchi, A; Masumoto, T; Makino, A

- 51) Nanocrystalline Fe-M-B-Cu (M=Zr,Nb) alloys with improved soft magnetic properties. [JOURNAL OF APPLIED PHYSICS, **79** (8), (1996), 5472-5472]  
Makino, A; Bitoh, T; Inoue, A; Masumoto, T
- 52) Nanocrystalline structural evolution In Fe<sub>90</sub>Zr<sub>7</sub>B<sub>3</sub> soft magnetic material. [ACTA MATERIALIA, **44** (4), (1996), 1497-1510]  
Zhang, Y; Hono, K; Inoue, A; Makino, A; Sakurai, T
- 53) Magnetic domain structure of nanocrystalline Fe-M-B (M=Zr, Nb) alloys revealed by Lorentz electron microscopy. [JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, **160**, (1996), 249-250]  
Hasegawa, N; Makino, A; Inoue, A; Masumoto, T
- 54) Soft magnetic properties of bulk nanocrystalline Fe-(Nb,Zr,Hf)-B alloys produced by extruding amorphous powders. [JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, **162** (1), (1996), 95-102]  
Kojima, A; Horikiri, H; Kawamura, Y; Makino, A; Inoue, A; Masumoto, T
- 55) Spin-valves with antiferromagnetic alpha-Fe<sub>2</sub>O<sub>3</sub> layers. [IEEE TRANSACTIONS ON MAGNETICS, **32** (5), (1996), 4618-4620]  
Hasegawa, N; Makino, A; Koike, F; Ikarashi, K
- 56) Soft magnetic properties of bulk Fe-based amorphous alloys prepared by copper mold casting. [IEEE TRANSACTIONS ON MAGNETICS, **32** (5), (1996), 4866-4871]  
Inoue, A; Takeuchi, A; Zhang, T; Murakami, A; Makino, A
- 57) Structure analysis of amorphous Pd<sub>75</sub>Si<sub>25</sub> alloy by electron diffraction and high-resolution electron microscopy. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **217**, (1996), 392-396]  
Matsushita, M; Hirotsu, Y; Ohkubo, T; Oikawa, T; Makino, A
- 58) Improved soft magnetic properties of nanocrystalline Fe-M-B-Cu (M=Zr, Nb) alloys with high saturation magnetic flux density and zero-magnetostriction. [MATERIALS SCIENCE FORUM, **235**, (1997), 723-728]  
Makino, A; Inoue, A; Hatanai, T; Bitoh, T
- 59) Improvement of soft magnetic properties of nanocrystalline Fe-M-B (M=Zr and Nb) alloys and their applications. [NANOSTRUCTURED MATERIALS, **9** (1月8日), (1997), 403-412]  
Inoue, A; Makino, A
- 60) Electric and magnetic properties of Ta-doped polycrystalline Mn-Zn ferrite. [JOURNAL DE PHYSIQUE IV, **7** (C1), (1997), 121-122]  
Yamamoto, Y; Makino, A; Nikaidou, T
- 61) Low loss of fine grained Mn-Zn ferrite. [JOURNAL DE PHYSIQUE IV, **7** (C1), (1997), 123-124]  
Yamamoto, Y; Makino, A; Nikaidou, T
- 62) High frequency characteristics of nanocrystalline Co-Fe-Hf-O soft magnetic films. [JOURNAL DE PHYSIQUE IV, **7** (C1), (1997), 495-496]  
Hayakawa, Y; Ohminato, K; Hasegawa, N; Makino, A
- 63) Preparation of thick amorphous alloy sheets in multicomponent Fe-based systems and their thermal and magnetic properties. [SCIENCE REPORTS OF THE RESEARCH INSTITUTES TOHOKU UNIVERSITY SERIES A-PHYSICS CHEMISTRY AND METALLURGY, **43** (2), (1997), 115-121]  
Inoue, A; Mizushima, T; Makino, A
- 64) Effect of Fe content on the glass-forming ability, thermal stability of supercooled liquid and magnetic properties of Fe<sub>93-x</sub>Al<sub>5</sub>Ga<sub>2</sub>(P<sub>0.55</sub>C<sub>0.25</sub>B<sub>0.2</sub>)(x) amorphous alloys. [SCIENCE REPORTS OF THE RESEARCH INSTITUTES TOHOKU UNIVERSITY SERIES A-PHYSICS CHEMISTRY AND METALLURGY, **43** (2), (1997), 123-128]  
Mizushima, T; Makino, A; Inoue, A

- 65) Development of common mode choke coil made of new nanocrystalline sort magnetic alloy "NANOPERM(R)". [SCIENCE REPORTS OF THE RESEARCH INSTITUTES TOHOKU UNIVERSITY SERIES A-PHYSICS CHEMISTRY AND METALLURGY, **43** (2), (1997), 161-165]  
 Naitoh, Y; Bitoh, T; Hatanai, T; Makino, A; Inoue, A; Masumoto, T
- 66) Nanocrystalline Fe-M-B-Cu (M=Zr,Nb) alloys with improved soft magnetic properties. [JOURNAL OF APPLIED PHYSICS, **81** (6), (1997), 2736-2739]  
 Makino, A; Bitoh, T; Inoue, A; Masumoto, T
- 67) High resistive nanocrystalline Fe-M-O (M=Hf, Zr, rare-earth metals) soft magnetic films for high-frequency applications. [JOURNAL OF APPLIED PHYSICS, **81** (8), (1997), 3747-3752]  
 Hayakawa, Y; Makino, A; Fujimori, H; Inoue, A
- 68) Soft magnetic properties of Fe based amorphous thick sheets with large glass forming ability. [JOURNAL OF APPLIED PHYSICS, **81** (8), (1997), 4029-4031]  
 Inoue, A; Makino, A; Mizushima, T
- 69) The relationship between the crystallization process and the soft magnetic properties of nanocrystalline Fe-M-B-Cu (M=Zr, Nb) alloy. [JOURNAL OF APPLIED PHYSICS, **81** (8), (1997), 4634-4636]  
 Bitoh, T; Makino, A; Hatanai, T; Inoue, A; Masumoto, T
- 70) Average and local structures of amorphous Pd<sub>75</sub>Si<sub>25</sub> alloy analyzed by modern electron diffraction techniques. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **226**, (1997), 274-279]  
 Hirotsu, Y; Matsushita, M; Ohkubo, T; Makino, A; Oikawa, T
- 71) Microstructure of nanocrystalline Fe-Nb-Pr-B alloys produced by crystallization of amorphous phase. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **226**, (1997), 520-525]  
 Kojima, A; Ogiwara, F; Makino, A; Inoue, A; Masumoto, T
- 72) Nanocrystalline soft magnetic Fe-M-B (M=Zr, Hf, Nb) alloys and their applications. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **226**, (1997), 594-602]  
 Makino, A; Hatanai, T; Inoue, A; Masumoto, T
- 73) Improvement of hard magnetic properties of Fe<sub>90</sub>Nd<sub>7</sub>B<sub>3</sub> alloys by two-stage crystallization treatment. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **226**, (1997), 636-640]  
 Takeuchi, A; Inoue, A; Makino, A
- 74) Structure and magnetic properties of Fe-based glassy alloys. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **226**, (1997), 721-725]  
 Mizushima, T; Makino, A; Inoue, A
- 75) Thermal and magnetic properties of Fe<sub>56</sub>Co<sub>7</sub>Ni<sub>7</sub>Zr<sub>10-x</sub>Nb<sub>x</sub>B<sub>20</sub> amorphous alloys with wide supercooled liquid range. [MATERIALS TRANSACTIONS JIM, **38** (7), (1997), 577-582]  
 Inoue, A; Koshihara, H; Zhang, T; Makino, A
- 76) Fine grained ferrite for low profile transformer. [IEEE TRANSACTIONS ON MAGNETICS, **33** (5), (1997), 3742-3744]  
 Yamamoto, Y; Makino, A; Yamaguchi, T; Sasada, I
- 77) Thermal stability and magnetic properties of Fe-Al-Ga-P-C-B-Si amorphous thick sheets. [IEEE TRANSACTIONS ON MAGNETICS, **33** (5), (1997), 3784-3786]  
 Mizushima, T; Makino, A; Inoue, A

- 78) Applications of nanocrystalline soft magnetic Fe-M-B (M=Zr, Nb) alloys "NANOPERM(R)". [IEEE TRANSACTIONS ON MAGNETICS, **33** (5), (1997), 3793-3798]  
Makino, A; Hatanai, T; Naitoh, Y; Bitoh, T; Inoue, A; Masumoto, T
- 79) Structural and magnetic properties of nanocrystalline Fe-rich Fe-Nb-Nd-B sintered magnet produced by consolidating amorphous powders. [IEEE TRANSACTIONS ON MAGNETICS, **33** (5), (1997), 3817-3819]  
Kojima, A; Makino, A; Inoue, A
- 80) Application of nanocrystalline Fe (or Co-Fe)-Hf-O magnetic films with high electrical resistivity to micro DC-DC converters. [IEEE TRANSACTIONS ON MAGNETICS, **33** (5), (1997), 3310-3312]  
Sato, T; Komai, E; Yamasawa, K; Hatanai, T; Makino, A
- 81) Applications of nanocrystalline soft magnetic Fe-M-B (M = Zr, Nb) alloys. [NANOSTRUCTURED MATERIALS, **8** (8), (1997), 987-995]  
Naitoh, Y; Bitoh, T; Hatanai, T; Makino, A; Inoue, A; Masumoto, T
- 82) Nanocrystallization and magnetic properties of Fe<sub>56</sub>Co<sub>7</sub>Ni<sub>7</sub>Zr<sub>2</sub>M<sub>8</sub>B<sub>20</sub> (M = Nb or Ta) glassy alloys. [NANOSTRUCTURED MATERIALS, **8** (8), (1997), 997-1005]  
Koshihara, H; Inoue, A; Makino, A
- 83) Hard magnetic properties of nanocrystalline Fe-rich Fe-Nb-Nd-B bulk alloys produced by consolidating amorphous powders. [NANOSTRUCTURED MATERIALS, **8** (8), (1997), 1015-1024]  
Kojima, A; Makino, A; Inoue, A
- 84) High frequency soft magnetic properties of nanocrystalline Fe-(Co)-Hf-O films with high electrical resistivity and their application to micro DC-DC converter. [NANOSTRUCTURED MATERIALS, **8** (8), (1997), 1025-1032]  
Sasaki, Y; Morita, S; Hatanai, T; Makino, A; Sato, T; Yamasawa, K
- 85) Microstructure and magnetic property of Fe-Al<sub>2</sub>O<sub>3</sub> granular films. [NANOSTRUCTURED MATERIALS, **8** (8), (1997), 1057-1066]  
Bian, B; Hirotsu, Y; Makino, A
- 86) Wide supercooled liquid region and soft magnetic properties of Fe<sub>56</sub>Co<sub>7</sub>Ni<sub>7</sub>Zr<sub>0-10</sub>Nb (or Ta)<sub>(0-10)</sub>B<sub>-20</sub> amorphous alloys. [JOURNAL OF APPLIED PHYSICS, **83** (4), (1998), 1967-1974]  
Inoue, A; Koshihara, H; Zhang, T; Makino, A
- 87) Synthesis of glassy Fe-Co-Nd-Zr-B alloys and their crystallization-induced magnetic properties. [MATERIALS TRANSACTIONS JIM, **39** (3), (1998), 327-333]  
Inoue, A; Fujita, K; Zhang, T; Makino, A
- 88) New bulk amorphous Fe-(Co,Ni)-M-B (M=Zr,Hf,Nb,Ta,Mo,W) alloys with good soft magnetic properties. [JOURNAL OF APPLIED PHYSICS, **83** (11), (1998), 6326-6328]  
Inoue, A; Zhang, T; Koshihara, H; Makino, A
- 89) Influence of Si addition on thermal stability and soft magnetic properties for Fe-Al-Ga-P-C-B glassy alloys. [JOURNAL OF APPLIED PHYSICS, **83** (11), (1998), 6329-6331]  
Mizushima, T; Makino, A; Inoue, A
- 90) Application of nanocrystalline soft magnetic Fe-M-B (M=Zr, Nb) alloys to choke coils. [JOURNAL OF APPLIED PHYSICS, **83** (11), (1998), 6332-6334]  
Naitoh, Y; Bitoh, T; Hatanai, T; Makino, A; Inoue, A
- 91) New applications of nanocrystalline Fe(Co-Fe)-Hf-O magnetic films to micromagnetic devices. [JOURNAL OF APPLIED PHYSICS, **83** (11), (1998), 6658-6660]  
Sato, T; Miura, Y; Matsumura, S; Yamasawa, K; Morita, S; Sasaki, Y; Hatanai, T; Makino, A
- 92) Fine grained Mn-Zn ferrite for high frequency driving. [JOURNAL OF APPLIED PHYSICS, **83** (11), (1998), 6861-6863]

- Takadate, K; Yamamoto, Y; Makino, A; Yamaguchi, T; Sasada, I
- 93) Effect of buffer layer on antiferromagnetic grain size and exchange-coupling field of Cr<sub>70</sub>Al<sub>30</sub>/Fe<sub>19</sub>Ni<sub>81</sub> bilayers. [JOURNAL OF APPLIED PHYSICS, **83** (11), (1998), 7213-7215]  
Ikarashi, K; Otani, Y; Fukamichi, K; Kitakami, O; Shimada, Y; Echigoya, J; Uyama, H; Makino, A
- 94) Preparation and soft magnetic properties of Fe-based bulk amorphous alloys. [JOURNAL DE PHYSIQUE IV, **8** (P2), (1998), 3-10]  
Inoue, A; Makino, A
- 95) Nanocrystalline soft magnetic Fe-M-B (M=Zr, Hf, Nb) alloys "NANOPERM" with high magnetic induction. [JOURNAL DE PHYSIQUE IV, **8** (P2), (1998), 103-106]  
Makino, A; Bitoh, T; Murakami, JI; Hatanai, T; Inoue, A; Masumoto, T
- 96) Ferromagnetic Co-Fe-Zr-B amorphous alloys with glass transition and good high-frequency permeability. [APPLIED PHYSICS LETTERS, **73** (6), (1998), 744-746]  
Inoue, A; Koshihara, H; Itoi, T; Makino, A
- 97) Structures and magnetic properties of oriented Fe/Au and Fe/Pt nanoparticles on  $\alpha$ -Al<sub>2</sub>O<sub>3</sub>. [JOURNAL OF ELECTRON MICROSCOPY, **48** (6), (1999), 753-759]  
Bian, B; Hirotsu, Y; Sato, K; Ohkubo, T; Makino, A
- 98) EXAFS study on local structural changes in amorphous Fe-Zr-B alloys. [JAPANESE JOURNAL OF APPLIED PHYSICS PART 1-REGULAR PAPERS SHORT NOTES & REVIEW PAPERS, **38**, (1999), 404-407]  
Nakata Y, Hara N, Hirotsu Y, Emura S, Makino A, Uruga T, Harada M, Nishihata Y, Yoneda Y, Kubozono Y
- 99) Compositional dependence of thermal stability and soft magnetic properties for Fe-Al-Ga-P-C-B glassy alloys. [Materials Research Society Symposium Proceedings, **554**, (1999), 155-160]  
Mizushima, T., Makino, A., Yoshida, S., Inoue, A
- 100) Nanocrystalline soft magnetic Fe-M-B (M = Zr, Hf, Nb) "NANOPERM," Fe-M-O (M = Zr, Hf, rare earth) alloys and their applications. [MATERIALS RESEARCH SOCIETY SYMPOSIUM PROCEEDINGS, **557**, (1999), 457-468]  
Makino, A., Inoue, A., Masumoto, T
- 101) Low core losses and soft magnetic properties of Fe-Al-Ga-P-C-B-Si glassy alloy ribbons with large thicknesses. [JOURNAL OF APPLIED PHYSICS, **85** (8), (1999), 4418-4420]  
Mizushima, T; Makino, A; Yoshida, S; Inoue, A
- 102) Effect of Ti, V, Cr, and Mn additions on the magnetic properties of a nanocrystalline soft magnetic Fe-Zr-B alloy with high magnetic flux density. [JOURNAL OF APPLIED PHYSICS, **85** (8), (1999), 5127-5129]  
Bitoh, T; Nakazawa, M; Makino, A; Inoue, A; Masumoto, T
- 103) Fe-based soft magnetic amorphous alloys with a wide supercooled liquid region. [JOURNAL OF APPLIED PHYSICS, **85** (8), (1999), 5136-5138]  
Koshihara, H; Inoue, A; Makino, A
- 104) Nanocrystalline soft magnetic Fe-M-B (M = Zr, Hf, Nb), Fe-M-O (M = Zr, Hf, rare earth) alloys and their applications. [NANOSTRUCTURED MATERIALS, **12** (5月8日), (1999), 825-828]  
Makino, A; Inoue, A; Masumoto, T
- 105) Soft magnetic properties of ring shape bulk glassy Fe-Al-Ga-P-C-B-Si alloy prepared by copper mold casting. [MATERIALS TRANSACTIONS JIM, **40** (9), (1999), 1019-1022]  
Mizushima, T; Ikarashi, K; Yoshida, S; Makino, A; Inoue, A
- 106) Structure and soft magnetic properties of bulk Fe-based glassy alloy prepared by pulse current sintering. [JOURNAL OF THE JAPAN INSTITUTE OF METALS, **63** (9), (1999), 1097-1100]  
Yoshida, S; Mizushima, T; Makino, A; Inoue, A



- 107) High-frequency permeability characteristics of Fe- and Co-based amorphous alloys with high B concentrations. [IEEE TRANSACTIONS ON MAGNETICS, **35** (5), (1999), 3355-3357]  
Inoue, A; Itoi, T; Koshihara, H; Makino, A
- 108) Structure and magnetic properties of bulky Fe-Al-Ga-P-C-B-Si glassy alloys in a ringed form prepared by copper mold casting. [IEEE TRANSACTIONS ON MAGNETICS, **35** (5), (1999), 3361-3363]  
Mizushima, T; Ikarashi, R; Makino, A; Inoue, A
- 109) A novel transmission-line type high frequency transformer using a fine-grain Mn-Zn ferrite. [IEEE TRANSACTIONS ON MAGNETICS, **35** (5), (1999), 3538-3540]  
Inoue, T; Furukawa, M; Sato, T; Yamasawa, K; Takahashi, T; Sasaki, Y; Yamamoto, Y; Hatanai, T; Makino, A
- 110) Ordering of island-like FePt crystallites with orientations. [APPLIED PHYSICS LETTERS, **75** (23), (1999), 3686-3688]  
Bian, B; Sato, K; Hirotsu, Y; Makino, A
- 111) ナノ結晶 Fe-Zr-Nb-B 合金の軟磁気特性. [日本応用磁気学会誌, **24** (4-2), (2000), 675-678]  
尾藤輝夫、牧野彰宏、小島章伸、井上明久、増本健
- 112) Thermal stabilities of the structure and magnetic properties in supercooled liquid region for Fe-Al-Ga-P-C-B-Si glassy alloys. [JOURNAL OF THE JAPAN INSTITUTE OF METALS, **64** (5), (2000), 303-306]  
Fukumura, H; Mizushima, T; Makino, A; Inoue, A
- 113) Rapid-annealing effect on the microstructure and magnetic properties of the Fe-rich nanocomposite magnets. [JOURNAL OF APPLIED PHYSICS, **87** (9), (2000), 6576-6578]  
Kojima, A; Makino, A; Inoue, A
- 114) Compositional dependence of the soft magnetic properties of the nanocrystalline Fe-Zr-Nb-B alloys with high magnetic flux density. [JOURNAL OF APPLIED PHYSICS, **87** (9), (2000), 7100-7102]  
Makino, A; Bitoh, T; Kojima, A; Inoue, A; Masumoto, T
- 115) Ferromagnetic bulk glassy alloys. [JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, **215**, (2000), 246-252]  
Inoue, A; Makino, A; Mizushima, T
- 116) Magnetic properties of zero-magnetostrictive nanocrystalline Fe-Zr-Nb-B soft magnetic alloys with high magnetic induction. [JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, **215**, (2000), 288-292]  
Makino, A; Bitoh, T; Kojima, A; Inoue, A; Masumoto, T
- 117) Soft magnetic properties of Fe-based bulk amorphous alloys. [MATERIALS TRANSACTIONS JIM, **41** (11), (2000), 1471-1477]  
Makino, A; Inoue, A; Mizushima, T
- 118) Effect of Co addition on the magnetic properties of nanocrystalline Fe-rich Fe-Nb-(Nd,Pr)-B alloys produced by crystallization of an amorphous phase. [SCRIPTA MATERIALIA, **44** (8月9日), (2001), 1383-1387]  
Kojima, A; Makino, A; Inoue, A
- 119) Effect of Nd substitution on the soft magnetic properties of a nanocrystalline Fe<sub>84</sub>Nb<sub>7</sub>B<sub>9</sub> alloy. [SCRIPTA MATERIALIA, **44** (8月9日), (2001), 1401-1405]  
Takadate, K; Kojima, A; Makino, A; Inoue, A
- 120) Preparation of the bulk Fe-Al-Ga-P-C-B-Si glassy alloys in a ringed form by copper mold casting. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **304**, (2001), 763-766]  
Ikarashi, K; Mizushima, T; Makino, A; Inoue, A

- 121) Structure and soft magnetic properties of bulk Fe-Al-Ga-P-C-B-Si glassy alloys prepared by consolidating amorphous powders. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **304**, (2001), 1019-1022]  
 Yoshida, S; Mizushima, T; Makino, A; Inoue, A
- 122) Low core losses of nanocrystalline Fe-Zr-Nb-B soft magnetic alloys with high magnetic flux density. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **304**, (2001), 1083-1086]  
 Makino, A; Bitoh, T; Kojima, A; Inoue, A; Masumoto, T
- 123) Soft magnetic properties of nanocrystalline Fe-Nb-B-P alloys produced in the atmosphere by melt-spinning method. [MATERIALS TRANSACTIONS, **42** (8), (2001), 1535-1539]  
 Kojima, A; Ito, S; Makino, A; Inoue, A
- 124) Structural change of amorphous Fe<sub>90</sub>Zr<sub>7</sub>B<sub>3</sub> alloy in the primary crystallization process studied by modern electron microscope techniques. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **312** (1月2日), (2001), 274-283]  
 Ohkubo, T; Kai, H; Makino, A; Hirotsu, Y
- 125) Microstructure and properties of nanocrystalline Fe-Zr-Nb-B soft magnetic alloys with low magnetostriction. [ACTA MATERIALIA, **49** (19), (2001), 4069-4077]  
 Wu, YQ; Bitoh, T; Hono, K; Makino, A; Inoue, A
- 126) Nb-Poor Fe-Nb-B nanocrystalline soft magnetic alloys with small amount of P and Cu prepared by melt-spinning in air. [SCRIPTA MATERIALIA, **48** (7), (2003), 869-874]  
 Makino, A; Bitoh, T; Inoue, A; Masumoto, T
- 127) Mediated exchange interaction in Fe-Nb-B nanocrystalline soft magnetic materials. [PHYSICAL REVIEW B, **67** (17), (2003), 172409-1-172409-4]  
 Gao, Y; Shindo, D; Bitoh, T; Makino, A
- 128) As-quenched and nanocrystallized structure for Nb-poor Fe-Nb-B-P-Cu soft magnetic alloys melt spun in air. [JOURNAL OF APPLIED PHYSICS, **93** (10), (2003), 6522-6524]  
 Makino, A; Bitoh, T
- 129) Magnetic microstructure of Fe<sub>84</sub>Nb<sub>7</sub>B<sub>9</sub> alloys observed by electron holography. [JOURNAL OF APPLIED PHYSICS, **93** (10), (2003), 7462-7464]  
 Gao, YH; Shindo, D; Bitoh, T; Makino, A
- 130) Domain structures of nanocrystalline Fe<sub>90</sub>Zr<sub>7</sub>B<sub>3</sub> alloy studied by Lorentz microscopy. [Science and Technology of Advanced Materials, **4** (4), (2003), 353-359]  
 Gao, Y, Shindo, D, Bitoh, T, Makino, A
- 131) Random anisotropy model for nanocrystalline soft magnetic alloys with grain-size distribution. [MATERIALS TRANSACTIONS, **44** (10), (2003), 2011-2019]  
 Bitoh, T; Makino, A; Inoue, A; Masumoto, T
- 132) Origin of low coercivity of Fe-(Al, Ga)-(P, C, B, Si, Ge) bulk glassy alloys. [MATERIALS TRANSACTIONS, **44** (10), (2003), 2020-2024]  
 Bitoh, T; Makino, A; Inoue, A
- 133) ナノ結晶 Fe-Nb-B(-P-Cu) 合金の微細構造と軟磁気特性. [日本応用磁気学会誌, **28** (3), (2004), 388-392]  
 尾藤輝夫、牧野彰宏、井上明久、増本健
- 134) Crystallization behavior of alpha Fe in Fe<sub>84</sub>Nb<sub>7</sub>B<sub>9</sub> and Fe<sub>85</sub>Nb<sub>6</sub>B<sub>9</sub> amorphous alloys. [MATERIALS TRANSACTIONS, **45** (4), (2004), 1199-1203]  
 Matsubara, E; Tanaka, S; Makino, A; Chiang, TH

- 135) Magnetization process and coercivity of Fe-(Al, Ga)-(P, C, B, Si) soft magnetic glassy alloys. [MATERIALS TRANSACTIONS, **45** (4), (2004), 1219-1227]  
Bitoh, T; Makino, A; Inoue, A
- 136) The effect of grain-size distribution on coercivity in nanocrystalline soft magnetic alloys. [JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, **272-76**, (2004), 1445-1446]  
Bitoh, T; Makino, A; Inoue, A
- 137) High coercivity of melt-spun (Fe<sub>0.55</sub>Pt<sub>0.45</sub>)<sub>(78)</sub>Zr<sub>2-4</sub>B<sub>18-20</sub> nanocrystalline alloys with L1(0) structure. [JOURNAL OF APPLIED PHYSICS, **95** (11), (2004), 7498-7500]  
Makino, A; Bitoh, T
- 138) Direct synthesis of L1(0) (Fe<sub>0.55</sub>Pt<sub>0.45</sub>)<sub>(77-78)</sub>Zr<sub>2-5</sub>B<sub>17-20</sub> nanocrystalline alloys with high coercivity by melt-spinning. [MATERIALS TRANSACTIONS, **45** (9), (2004), 2909-2915]  
Makino, A; Bitoh, T; Inoue, A
- 139) Nanoscale phase separation in metallic glasses studied by advanced electron microscopy techniques. [INTERMETALLICS, **12** (10月11日), (2004), 1081-1088]  
Hirotzu, Y; Hanada, T; Ohkubo, T; Makino, A; Yoshizawa, Y; Nieh, TG
- 140) Zero Temperature Coefficient and Stability of Electrical Resistibility of Ni-Si-B Amorphous Alloys. [Journal of Metastable and Nanocrystalline Materials, **24-25**, (2005), 229-232]  
T. Bitoh, A. Makino, M. Zama and H. Kudoh
- 141) Quasi-Dislocation Dipole Type-Defects and Low Coercivity of Fe-Based Soft Magnetic Glassy Alloys. [Journal of Metastable and Nanocrystalline Materials, **24-25**, (2005), 427-430]  
T. Bitoh, A. Makino and A. Inoue
- 142) 金属ガラスの軟磁気特性. [金属, **75** (2), (2005), 95-100]  
牧野彰宏、尾藤輝夫
- 143) Microstructure and hard magnetic properties of directly synthesized L1(0)(Fe<sub>1-x</sub>Pt<sub>x</sub>)<sub>(78)</sub>Zr<sub>4</sub>B<sub>18</sub> nanocrystalline alloys by melt spinning. [JOURNAL OF APPLIED PHYSICS, **97** (10), (2005), 10H307-1-10H307-3]  
Bitoh, T; Makino, A; Nakagawa, M
- 144) Melting temperature and order-disorder transformation of melt-spun (Fe,Pt)-Zr-B nanocrystalline alloys. [SCRIPTA MATERIALIA, **53** (4), (2005), 429-434]  
Bitoh, T; Nakagawa, M; Makino, A
- 145) Magnetostriction and Coercivity of Soft Magnetic Fe-(Al, Ga)-(P, C, B, Si) Bulk Glassy Alloys. [Materials Research Society Symposium Proceedings, **754**, (2005), CC1.4-1-CC1.4-4]  
Akihiro Makino, Teruo Bitoh, Akihisa Inoue
- 146) Formation of Large Bulk [ (Fe<sub>0.5</sub>Co<sub>0.5</sub>)<sub>0.75</sub>B<sub>0.20</sub>Si<sub>0.05</sub>] <sub>96</sub>Nb<sub>4</sub> Glassy Alloy by Flux Melting and Water Quenching. [Materials Research Society Symposium Proceedings, **903E**, (2006), 0903-Z05-18.1-0903-Z05-18.4]  
Teruo Bitoh, Akihiro Makino, Akihisa Inoue, A. Lindsay Greer
- 147) Origin of low coercivity of (Fe<sub>0.75</sub>B<sub>0.15</sub>Si<sub>0.10</sub>)<sub>(100-x)</sub>Nb<sub>-x</sub> (x=1-4) glassy alloys. [Journal of Applied Physics, **99** (8), (2006), 08F102-1-08F102-3]  
Teruo Bitoh, Akihiro Makino, Akihisa Inoue
- 148) Large bulk soft magnetic [ (Fe<sub>0.5</sub>Co<sub>0.5</sub>)<sub>0.75</sub>B<sub>0.20</sub>Si<sub>0.05</sub>] <sub>(96)</sub>Nb<sub>-4</sub> glassy alloy prepared by B<sub>2</sub>O<sub>3</sub> flux melting and water quenching. [Applied Physics Letters, **88** (18), (2006), 182510-1-182510-3]  
Teruo Bitoh, Akihiro Makino, Akihisa Inoue, A. L. Greer
- 149) Local structure studies of Fe-Nb-B metallic glasses using electron diffraction. [JOURNAL OF MICROSCOPY-OXFORD, **223**, (2006), 191-194]

- A. Hirata, Y. Hirotsu, T. Ohkubo, E. Matsubara, A. Makino
- 150) Soft Magnetic Bulk Glassy Alloy Synthesized by Flux Melting and Water Quenching. [Materials Science Forum, **539-543**, (2007), 1921-1925]  
A.Makino, T.Bitoh, A.Inoue, A.L.Greer
- 151) Fe-Metalloid Metallic Glasses with High Magnetic Flux Density and High Glass-Forming Ability. [Materials Science Forum, **561-565**, (2007), 1361-1366]  
A.Makino, T.Kubota, M.Makabe, C.T.Chang, A.Inoue
- 152) Magnetic properties and structure of Fe-Pt-M-B (M = Zr, Nb and Ti) alloys produced by quenching technique. [Journal of Alloys and Compounds, **434-435**, (2007), 614-617]  
Akihiro Makino, Teruo Bitoh, Akihisa Inoue and Yoshihiko Hirotsu
- 153) Preparation of Fe-Pt-Si amorphous ribbons and their coercivity after crystallization. [Mater. Trans., **48**, (2007), 74-79]  
T.Yamamoto; A.Omori; A.Makino; A.Inoue
- 154) Magnetic properties and microstructure of FePt-M-B (M = Zr, Nb, La) films. [Journal of Magnetism and Magnetic Materials, **310**, (2007), 2527-2528]  
H.Okumura, S.Nishinakagawa, T.Bitoh, A.Makino, K.Sato, Y.Hirotsu
- 155) Compositional dependence of soft magnetic properties of nanocrystalline Fe-Nb-B-P-Cu alloy tapes produced in air. [Journal of Magnetism and Magnetic Materials, **310**, (2007), 2469-2470]  
M.Bingo, T.Bitoh, A.Makino
- 156) Hard magnetic properties of melt-spun(Fe<sub>0.55</sub>Pt<sub>0.45</sub>)-(Nb, Ti)-B nanocrystalline alloys with L1<sub>0</sub> structure. [Journal of Magnetism and Magnetic Materials, **310**, (2007), e855-e857]  
M.Makebe, M.Nakagawa, T.Bitoh, A.Makino
- 157) Melt-spun L1(0) Fe-Pt-(Zr, Nb and Ti)-B nanocrystalline alloys with high coercivity. [MATERIALS SCIENCE AND ENGINEERING A, **449-451**, (2007), 66-70]  
Makino, A, Bitoh, T, Inoue, A, Hirotsu, Y
- 158) Influence of quenching rate on the microstructure and magnetic properties of melt-spun L1<sub>0</sub>-FePt/Fe<sub>2</sub>B nanocomposite magnets. [Journal of Applied Physics, **101** (09K518), (2007)]  
W.Zhang, K.Yubuta, P.Sharma, A.Makino, A.Inoue
- 159) Improvement of soft magnetic properties by simultaneous addition of P and Cu for nanocrystalline FeNbB alloys. [Journal of Applied Physics, **101**, (2007), 09N117]  
Akihiro Makino, Masaki Bingo, Teruo Bitoh, Kunio Yubuta and Akihisa Inoue
- 160) Magnetic macrostructural study of L1(0) nanocrystalline FePt alloys by means of electron holography. [Mater. Trans., **48**, (2007), 2612-2615]  
Xia, WX; Kim, JJ; Shindo, D; Makino, A
- 161) Melting Liquid Joint Method of Ti(Cu)-base Bulk Metallic Glassy Alloy. [Advanced Materials Research, **26-28**, (2007), 707-710]  
Kunsu Son, Xinmin Wang, Akihiro Makino and Akihisa Inoue
- 162) Direct synthesis of L1(0)-(Fe, Co)Pt nanocrystallites from (Fe, Co)-Pt-Zr-B liquid phase by melt-spinning. [J. Non-Cryst. Solids, **353**, (2007), 3655-3660]  
Makino, A; Bitoh, T; Nakagawa, M
- 163) FeSiBP bulk metallic glasses with unusual combination of high magnetization and high glass-forming ability. [Mater. Trans., **48**, (2007), 3024-3027]  
Makino, A; Kubota, T; Chang, C; Makabe, M; Inoue, A

- 164) High specific strength and improved ductility of bulk (Mg<sub>0.65</sub>Cu<sub>0.25</sub>Gd<sub>0.1</sub>)(100-x) Ti-x metallic glass composites. [Mater. Trans., **48**, (2007), 3193-3196]  
Li, F; Guan, S; Shen, B; Makino, A; Inoue, A
- 165) Excellent soft-magnetic properties of (Fe,Co)-Mo-(P,C,B,Si) bulk glassy alloys with ductile deformation behavior. [Appl. Phys. Lett., **91**, (2007), 234101]  
Li, FS; Shen, B; Makino, A; Inoue, A
- 166) Noncrystalline atomic arrangements computationally created from crystalline compound by treating groups of atoms as hypothetical clusters. [INTERMETALLICS, **16**, (2008), 283-292]  
Takeuchi, A., Yubuta, K. Yokoyama, Y. Makino, A., Inoue, A.
- 167) FeSiBP metallic glasses with high glass-forming ability and excellent magnetic properties. [Materials Science & Engineering B, **148**, (2008), 166-170]  
Makino, A., Kubota, T., Makabe, M., Chang, C.T., Inoue, A.
- 168) Synthesis of soft/hard magnetic FePt-based glassy alloys with supercooled liquid region. [J. Appl. Phys., **104** (10), (2008), 103540]  
Makino A., Kazahari A., Zhang W., Yubuta K., Kubota T., Inoue A.
- 169) Excellent Thermal Stability and Bulk Glass Forming Ability of Fe-B-Nb-Y Soft Magnetic Metallic Glass. [Materials Transactions, **49** (3), (2008), 506-512]  
Sangmin Lee, Hidemi Kato, Takeshi Kubota, Kunio Yubuta, Akihiro Makino, Akihisa Inoue
- 170) Exchange coupling in nanocomposite FePtB thin film magnets. [JOURNAL OF APPLIED PHYSICS, **103** (7), (2008), 07E121]  
Kaushik Neelam, Sharma Parmanand, Kimura Hisamichi, Inoue Akihisa, Makino Akihiro
- 171) Fe-metalloids bulk glassy alloys with high Fe content and high glass-forming ability. [Materials Research Society, **23** (5), (2008), 1339-1342]  
Akihiro Makino, Takeshi Kubota, Chuntao Chang, Masahiro Makabe, Akihisa Inoue
- 172) Soft magnetic Fe-based metallic glasses prepared by fluxing and water-quenching. [Rev. Adv. Mater. Sci., **18** (2), (2008), 126-130]  
Yamamoto, T; Yodoshi, N; Bitoh, T; Makino, A; Inoue, A
- 173) Relationship between microstructures and soft magnetic properties of simultaneously P and Cu-added Fe-Nb-B ribbon alloys. [Mater. Trans., **49** (8), (2008), 1780-1784]  
Yubuta, K; Mund, E; Makino, A; Inoue, A
- 174) FeSiBP bulk metallic glasses with high magnetization and excellent magnetic softness. [J. Magn. Mater., **320** (20), (2008), 2499-2503]  
Makino, A; Kubota, T; Chang, C; Makabe, M; Inoue, A
- 175) Effect of Cr Addition on the Glass-Forming Ability, Magnetic, Mechanical and Corrosion Properties of (Fe<sub>0.76</sub>Si<sub>0.096</sub>B<sub>0.096</sub>P<sub>0.048</sub>)(100-x)Cr-x Bulk Glassy Alloys. [MATERIALS TRANSACTIONS, **49** (12), (2008), 2887-2890]  
Li X, Chang CT, Kubota T, Qin CL, Makino A, Inoue A
- 176) FeSiBPCu Nanocrystalline Soft Magnetic Alloys with High B-s of 1.9 Tesla Produced by Crystallizing Hetero-Amorphous Phase. [MATERIALS TRANSACTIONS, **50** (1), (2009), 204-209]  
Makino A, Men H, Kubota T, Yubuta K, Inoue A
- 177) Soft magnetic FeSiBPCu heteroamorphous alloys with high Fe content. [JOURNAL OF APPLIED PHYSICS, **105** (1), (2009), 13922]  
Makino A, Men H, Yubuta K, Kubota T

- 178) Soft magnetic FeSiBPCu hetero-amorphous alloys with high Fe content exceeding the limit of the formation for a single amorphous phase. [Journal of Optoelectronics and Advanced Materials - Symposia, **1**(ISS.2-2009) (24), (2009), 119-122]  
 A. MAKINO, T. KUBOTA, H. MEN
- 179) The effect of Cu on the plasticity of Fe-Si-B-P-based bulk metallic glass. [Scripta Materialia, **60** (5), (2009), 277-280]  
 Makino A., Li X., Yubuta K., Chang C., Kubota T., Inoue A.
- 180) Preparation of Bulk Glassy Fe<sub>76</sub>Si<sub>9</sub>B<sub>10</sub>P<sub>5</sub> as a Soft Magnetic Material by Spark Plasma Sintering. [MATERIALS TRANSACTIONS, **50** (3), (2009), 487-489]  
 Zhao ZK, Chang CT, Makino A, Okubo A, Inoue A
- 181) Displacement Behavior Study of the Shear Stress Effect on the Early Viscous Flow Nature of Fe-B-Nb-Y Metallic Glassy Powder in Spark Plasma Sintering. [MATERIALS TRANSACTIONS, **50** (3), (2009), 490-493]  
 Lee SM, Kato H, Makino A, Inoue A
- 182) Local structure changes on annealing in an Fe-Si-B-P bulk metallic glass. [INTERMETALLICS, **17** (4), (2009), 186-189]  
 Hirata Akihiko, Kawahara Naoto, Hirotsu Yoshihiko, Makino Akihiro
- 183) Fabrication and soft-magnetic properties of Fe-B-Nb-Y glassy powder compacts by spark plasma sintering technique. [INTERMETALLICS, **17** (4), (2009), 218-221]  
 Lee Sangmin, Kato Hidemi, Kubota Takeshi, Makino Akihiro, Inoue Akihisa
- 184) New Fe-metalloids based nanocrystalline alloys with high B-s of 1.9 T and excellent magnetic softness. [JOURNAL OF APPLIED PHYSICS, **105** (7), (2009), 07 A 308]  
 Makino Akihiro, Men He, Kubota Takeshi, Yubuta Kunio, Inoue Akihisa
- 185) To enhance the efficiency of a power supply circuit by the use of Fe-P-B-Nb-type ultralow loss glassy metal core. [JOURNAL OF APPLIED PHYSICS, **105** (7), (2009), 07 A 317]  
 Matsumoto H., Urata A., Yamada Y., Makino A.
- 186) High B-s nanocrystalline alloys with high amorphous-forming ability. [JOURNAL OF APPLIED PHYSICS, **105** (7), (2009), 07 A 324]  
 Urata A., Matsumoto H., Sato S., Makino A.
- 187) Synthesis of ferromagnetic Fe-based bulk glassy alloys in the Fe-Si-B-P-C system. [JOURNAL OF ALLOYS AND COMPOUNDS, **473** (1-2), (2009), 368-372]  
 Chang Chuntao, Kubota Takeshi, Makino Akihiro, Inoue Akihisa
- 188) Fe-Rich Soft Magnetic FeSiBPCu Hetero-Amorphous Alloys with High Saturation Magnetization. [MATERIALS TRANSACTIONS, **50** (6), (2009), 1330-1333]  
 He Men, Cui Liying, Kubota Takeshi, Yubuta Kunio, Makino Akihiro, Inoue Akihisa
- 189) Mechanical Properties of Soft Magnetic (Fe<sub>0.76</sub>Si<sub>0.096</sub>B<sub>0.084</sub>P<sub>0.06</sub>)(100-x)Cu-x (x=0 and 0.1) Bulk Glassy Alloys. [MATERIALS TRANSACTIONS, **50** (6), (2009), 1286-1289]  
 Li Xue, Makino Akihiro, Yubuta Kunio, Kato Hidemi, Inoue Akihisa
- 190) Soft magnetic Fe-Si-B-P-C bulk metallic glasses without any glass-forming metal elements. [JOURNAL OF ALLOYS AND COMPOUNDS, **483** (1-2), (2009), 616-619]  
 Makino Akihiro, Chang Chuntao, Kubota Takeshi, Inoue Akihisa
- 191) Evaluation of glass-forming ability of binary metallic glasses with liquidus temperature, crystallographic data from binary phase diagrams and molecular dynamics simulations. [JOURNAL OF ALLOYS AND COMPOUNDS, **483** (1-2), (2009), 102-106]  
 Takeuchi A., Yubuta K., Makino A., Inoue A.

- 192) Structure, morphology and magnetic properties of Fe-B-Si-Nb glassy alloy thin film prepared by a pulsed laser deposition method. [MATERIALS LETTERS, **63** (21), (2009), 1895-1897]  
Takenaka Kana, Sugimoto Toshio, Nishiyama Nobuyuki, Makino Akihiro, Saotome Yasunori, Hirotsu Yoshihiko, Inoue Akihisa
- 193) High saturation magnetization and microstructure in melt-spun Fe-P ribbons. [Scripta Materialia, **61** (5), (2009), 544-547]  
Gopalan R, Chen YM, Ohkubo T, Hono K
- 194) New Excellent Soft Magnetic FeSiBPCu Nanocrystallized Alloys With High B-s of 1.9 T From Nanohetero-Amorphous Phase. [IEEE TRANSACTIONS ON MAGNETICS, **45** (10), (2009), 4302-4305]  
Makino Akihiro, Men He, Kubota Takeshi, Yubuta Kunio, Inoue Akihisa
- 195) Effect of Cu and P on the Crystallization Behavior of Fe-Rich Hetero-Amorphous FeSiB Alloy. [MATERIALS TRANSACTIONS, **50** (11), (2009), 2515-2520]  
Cui Liying, Men He, Makino Akihiro, Kubota Takeshi, Yubuta Kunio, Qi Min, Inoue Akihisa
- 196) Effects of B and Si contents on glass-forming ability and soft-magnetic properties in  $(\text{Co}_{0.89}\text{Fe}_{0.057}\text{Nb}_{0.053})(100-x)(\text{B}_{0.8}\text{Si}_{0.2})_x$  glassy alloys. [Journal of Applied Physics, **107**, (2010), 09A319]  
Huajun Sun, Qikui Man, Yaqian Dong, Baolong Shen, Hisamichi Kimura, Akihiro Makino, Akihisa Inoue
- 197) Synthesis and Mechanical Properties of New Cu-Based Cu-Zr-Al Glassy Alloys with Critical Diameters up to Centimeter Order. [Materials Transactions, **51** (4), (2010), 826-829]  
B. W. Zhou, X. G. Zhang, W. Zhang, H. Kimura, T. Zhang, A. Makino, A. Inoue
- 198) Effect of Cu on nanocrystallization and plastic properties of FeSiBPCu bulk metallic glasses. [Materials Science and Engineering a-Structural Materials Properties Microstructure and Processing, **527** (10-11), (2010), 2598-2602]  
Li X, Kato H, Yubuta K, Makino A, Inoue A
- 199) Enhanced glass-forming ability of FeCoBSiNb bulk glassy alloys prepared using commercial raw materials through the optimization of Nb content. [Journal of Applied Physics, **107**, (2010), 09A315]  
Ying Fu, Baolong Shen, Hisamichi Kimura, Akihiro Makino, Akihisa Inoue
- 200) High B-s FeSiBPCu Nanocrystalline Wide Ribbons Using Industrial Raw Materials. [Materials Science Forum, **654-656**, (2010), 1102-1105]  
Akiri Urata, Hiroyuki Matsumoto, Shigeyoshi Yoshida, Akihiro Makino
- 201) Exchange-coupled FePtB nano-composite hard magnets produced by pulsed laser deposition. [Materials Science and Engineering B-Advanced Functional Solid-State Materials, **171** (1-3), (2010), 62-68]  
Kaushik N, Sharma P, Nagar S, Rao KV, Kimura H, Makino A, Inoue A
- 202) Effect of Co concentration on thermal stability and magnetic properties of (Fe,Co)-Nb-Gd-B glassy alloys. [Journal of Alloys and Compounds, **504**, (2010), S129-S131]  
Jia F, Zhang W, Zhang XG, Xie GQ, Kimura H, Makino A, Inoue A
- 203) Glass-forming ability and magnetic properties of CoFeMoYB bulk glassy alloys with large supercooled liquid region. [Journal of Alloys and Compounds, **504**, (2010), S132-S134]  
Man QK, Sun HJ, Dong YQ, Shen BL, Kimura H, Makino A, Inoue A
- 204) Unusual compressive plasticity of a centimeter-diameter Zr-based bulk metallic glass with high Zr content. [Journal of Alloys and Compounds, **504**, (2010), S2-S5]  
Li YH, Zhang W, Dong C, Qiang JB, Yubuta K, Makino A, Inoue A
- 205) Effect of Nb addition on the glass-forming ability, mechanical and soft-magnetic properties in  $(\text{Co}_{0.942}\text{Fe}_{0.058})(72-x)\text{Nb}_x\text{B}_{22.4}\text{Si}_{5.6}$  bulk glassy alloys. [Journal of Alloys and Compounds, **504**, (2010), S31-S33]  
Sun HJ, Man QK, Dong YQ, Shen BL, Kimura H, Makino A, Inoue A

- 206) Domain wall assisted magnetization switching in (111) oriented L1(0) FePt grown on a soft magnetic metallic glass. [Applied Physics Letters, **97** (7), (2010), 72510]  
 Kaushik N, Sharma P, Yubuta K, Makino A, Inoue A
- 207) Production of Ni65Cr15P16B4 Metallic Glass-Coated Bipolar Plate for Fuel Cell by High Velocity Oxy-Fuel (HVOF) Spray Coating Method. [Materials Transactions, **51** (9), (2010), 1609-1613]  
 Kim S, Yamaura S, Shimizu Y, Nakashima K, Igarashi T, Makino A, Inoue A
- 208) Enhancement of glass-forming ability of CoFeBSiNb bulk glassy alloys with excellent soft-magnetic properties and superhigh strength. [Intermetallics, **18** (10), (2010), 1876-1879]  
 Man QK, Sun HJ, Dong YQ, Shen BL, Kimura H, Makino A, Inoue A
- 209) Formation and mechanical properties of Zr-Ni-Al glassy alloys with high glass-forming ability. [Intermetallics, **18** (10), (2010), 1851-1855]  
 Li YH, Zhang W, Dong C, Qiang JB, Makino A, Inoue A
- 210) Magnetic Properties of Rapidly Solidified Ribbon of Fe49Co49V2 and Spark-Plasma-Sintered Pellet of Its Powder. [Materials Transactions, **51** (10), (2010), 1883-1886]  
 Matsumoto M, Kubota T, Yokoyama M, Okazaki T, Furuya Y, Makino A, Shimada M
- 211) Effect of Si addition on glass-forming ability and mechanical properties of Cu-Zr-Al bulk metallic glass. [Materials Science and Engineering a-Structural Materials Properties Microstructure and Processing, **527** (27-28), (2010), 7192-7196]  
 Malekan M, Shabestari SG, Zhang W, Seyedein SH, Gholamipour R, Makino A, Inoue A
- 212) Glass-forming ability and mechanical properties of Zr(75-x)Ni(25)Al(x) bulk glassy alloys. [JOURNAL OF MATERIALS RESEARCH, **26** (4), (2011), 533-538]  
 Li, YH, Zhang, W, Dong, C, Qiang, JB, Makino, A, Fukuhara, M, Inoue, A
- 213) Production of Ni-P Amorphous Alloy-Coated Bipolar Plate for PEM Fuel Cell by Electro-Less Plating. [MATERIALS TRANSACTIONS, **52** (4SI), (2011), 709-713]  
 Kim, S, Yamaura, S, Makino, A, Inoue, A
- 214) 高速ガスフレーム溶射法を用いた Ni-Cr-P-B 合金被覆燃料電池セパレータの創製とその XPS 表面分析. [日本金属学会誌, **75** (2), (2011), 122-130]  
 金成哲, 山浦真一, 五十嵐貴教, 清水雄太, 中島浩二, 牧野彰宏, 井上明久
- 215) L1(0) FePt(111)/glassy CoFeTaB bilayered structure for patterned media. [JOURNAL OF APPLIED PHYSICS, **109** (7), (2011), 07B908]  
 Sharma, P, Kaushik, N, Makino, A, Esashi, M, Inoue, A
- 216) Fe-based nanocrystalline FeBCCu soft magnetic alloys with high magnetic flux density. [JOURNAL OF APPLIED PHYSICS, **109** (7), (2011), 07A314]  
 Fan, XD, Ma, AB, Men, H, Xie, GQ, Shen, BL, Makino, A, Inoue, A
- 217) High B(s) Fe(84-x)Si(4)B(8)P(4)Cu(x)(x=0-1.5) nanocrystalline alloys with excellent magnetic softness. [JOURNAL OF APPLIED PHYSICS, **109** (7), (2011), 07A303]  
 Kong, FL, Wang, AD, Fan, XD, Men, H, Shen, BL, Xie, GQ, Makino, A, Inoue, A
- 218) Low core losses and magnetic properties of Fe(85-86)Si(1-2)B(8)P(4)Cu(1) nanocrystalline alloys with high B for power applications. [JOURNAL OF APPLIED PHYSICS, **109** (7), (2011), 07A302]  
 Makino, A, Kubota, T, Yubuta, K, Inoue, A, Urata, A, Matsumoto, H, Yoshida, S
- 219) Glass-forming ability and soft magnetic properties of (Co(0.6)Fe(0.3)Ni(0.1))(67)B(22+x)Si(6-x)Nb(5) bulk glassy alloys. [JOURNAL OF ALLOYS AND COMPOUNDS, **509** (1), (2011), S206-S209]  
 Dong, YQ, Man, QK, Sun, HJ, Shen, BL, Pang, SJ, Zhang, T, Makino, A, Inoue, A
- 220) Low core loss of Fe(85)Si(2)B(8)P(4)Cu(1) nanocrystalline alloys with high B(s) and B(800). [JOURNAL OF ALLOYS AND COMPOUNDS, **509** (1), (2011), S416-S419]



- Kubota, T, Makino, A, Inoue, A
- 221) Fe-B-P-Cu nanocrystalline soft magnetic alloys with high B(s). [JOURNAL OF ALLOYS AND COMPOUNDS, **509** (1), (2011), S431-S433]
- Urata, A, Matsumoto, H, Yoshida, S, Makino, A
- 222) Enhancement of glass-forming ability and corrosion resistance of Zr-based Zr-Ni-Al bulk metallic glasses with minor addition of Nb. [JOURNAL OF APPLIED PHYSICS, **110** (2), (2011), 23513]
- Li, YH, Zhang, W, Dong, C, Qin, CL, Qiang, JB, Makino, A, Inoue, A
- 223) Improved plasticity of iron-based high-strength bulk metallic glasses by copper-induced nanocrystallization. [JOURNAL OF NON-CRYSTALLINE SOLIDS, **357** (15), (2011), 3002-3005]
- Li, X, Kato, H, Yubuta, K, Makino, A, Inoue, A
- 224) Mo microalloying effect on the glass-forming ability, magnetic, mechanical and corrosion properties of (Fe(0.76)Si(0.096)B(0.084)P(0.06))<sub>100-x</sub>Mo(x) bulk glassy alloys. [JOURNAL OF ALLOYS AND COMPOUNDS, **509** (29), (2011), 7688-7691]
- Li, X, Qin, CL, Kato, H, Makino, A, Inoue, A
- 225) Micromirror with large-tilting angle using Fe-based metallic glass. [OPTICS LETTERS, **36** (17), (2011), 3464-3466]
- Lee, JW, Lin, YC, Kaushik, N, Sharma, P, Makino, A, Inoue, A, Esashi, M, Gessner, T
- 226) Fe(76)Si(9.6)B(8.4)P(6) glassy powder soft-magnetic cores with low core loss prepared by spark-plasma sintering. [MATERIALS SCIENCE AND ENGINEERING B-ADVANCED FUNCTIONAL SOLID-STATE MATERIALS, **176** (15), (2011), 1247-1250]
- Li, X, Makino, A, Kato, H, Inoue, A, Kubota, T
- 227) Enhancement of soft magnetic properties of FeCoNbB nanocrystalline alloys with Cu and Ni additions. [THIN SOLID FILMS, **519** (23SI), (2011), 8280-8282]
- Kong, FL, Shen, BL, Makino, A, Inoue, A
- 228) Effect of P on crystallization behavior and soft-magnetic properties of Fe(83.3)Si(4)Cu(0.7)B(12-x)P(x) nanocrystalline soft-magnetic alloys. [THIN SOLID FILMS, **519** (23SI), (2011), 8283-8286]
- Wang, AD, Men, H, Shen, BL, Xie, GQ, Makino, A, Inoue, A
- 229) 無電解めつき法を用いた Ni-P アモルファス合金被覆燃料電池用セパレータの作製. [日本金属学会誌, **75** (10), (2011), 557-561]
- 金成哲, 山浦真一, 牧野彰宏, 井上明久
- 230) Characteristics of Fe-Si-B-P-Cu Nanocrystalline Soft Magnetic Alloy Powders With High Bs. [IEEE TRANSACTIONS ON MAGNETICS, **47** (10), (2011), 2845-2847]
- Chiba, M, Urata, A, Matsumoto, H, Yoshida, S, Makino, A
- 231) Fe-Si-B-P-Cu Nanocrystalline Alloy Ribbons With High Saturation Magnetic Flux Density Prepared Using Industrial Materials. [IEEE TRANSACTIONS ON MAGNETICS, **47** (10), (2011), 3177-3179]
- Urata, A, Matsumoto, H, Yoshida, S, Makino, A
- 232) Anomalous Temperature Dependence of Coercivity at Low Temperature in L1(0) FePt Thin Films. [IEEE TRANSACTIONS ON MAGNETICS, **47** (10), (2011), 4394-4397]
- Sharma, P, Kaushik, N, Makino, A, Inoue, A
- 233) High glass forming ability and good mechanical properties of Cu-Zr-Al bulk metallic glasses. [MATERIALS RESEARCH INNOVATIONS, **15** (5), (2011), 310-313]
- Zhou, BW, Zhang, XG, Zhang, W, Kimura, H, Makino, A, Inoue, A
- 234) Effects of Ni addition on the glass-forming ability, mechanical properties and corrosion resistance of Zr-Cu-Al bulk metallic glasses. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **528** (29-30), (2011), 8551-8556]

- Li, YH, Zhang, W, Dong, C, Qiang, JB, Fukuhara, M, Makino, A, Inoue, A
- 235) Spark Plasma Sintering of Soft Magnetic Fe-Si-B-P-Cu Nanocrystalline Alloy in the Form of Magnetic Cores. [MATERIALS TRANSACTIONS, **52** (12), (2011), 2254-2257]  
Zhang, Y, Sharma, P, Makino, A
- 236) Effects of Spark Plasma Sintering Parameters on the Crystallization and Densification of Fe<sub>76</sub>Si<sub>9</sub>B<sub>10</sub>P<sub>5</sub> Atomization Powders. [JOURNAL OF INORGANIC AND ORGANOMETALLIC POLYMERS AND MATERIALS, **21** (4), (2011), 784-787]  
Zhao, ZK, Wang, MG, Jia, SQ, Li, SL, Zhang, D, Makino, A
- 237) Fabrication of nanocrystalline Fe<sub>84.3</sub>Si<sub>4</sub>B<sub>8</sub>P<sub>3</sub>Cu<sub>0.7</sub> powders with high magnetization. [Key Engineering Materials, **508**, (2012), 133-140]  
Zhang, Y, Wen, Y, Makino, A.
- 238) The effect of Co addition on glassy forming ability and soft magnetic properties of Fe-Si-B-P bulk metallic glass. [Key Engineering Materials, **508**, (2012), 112-116]  
Li, X., Zhang, Y., Kato, H., Makino, A., Inoue, A.
- 239) New Fe-B-P-Cu nanocrystalline soft magnetic alloys with high  $J_s$  combined with low coercivity  $H_c$ . [Key Engineering Materials, **508**, (2012), 99-105]  
Zhang, Z., Sharma, P., Makino, A.
- 240) Magnetization reversal in a preferred oriented (111) L1(0) FePt grown on a soft magnetic metallic glass for tilted magnetic recording. [JOURNAL OF PHYSICS-CONDENSED MATTER, **24** (7), (2012), 076004]  
Wang, YC, Sharma, P, Makino, A
- 241) Low core loss of non-Si quaternary Fe<sub>83.3</sub>B<sub>8</sub>P<sub>8</sub>Cu<sub>0.7</sub> nanocrystalline alloy with high  $B_s$  of 1.7 T. [JOURNAL OF APPLIED PHYSICS, **111** (7), (2012), 07A335]  
Urata, A, Yamaki, M, Takahashi, M, Okamoto, K, Matsumoto, H, Yoshida, S, Makino, A
- 242) Synthesis, microstructure and magnetic properties of low Nd content Fe<sub>90</sub>Nd<sub>5</sub>B<sub>3.5</sub>M<sub>1.5</sub> (M = Hf, Ti and Ta) alloys. [JOURNAL OF APPLIED PHYSICS, **111** (7), (2012), 07B501]  
Zhang, ZQ, Sharma, P, Yubuta, K, Makino, A
- 243) Nanocrystalline Soft Magnetic Fe-Si-B-P-Cu Alloys With High  $B$  of 1.8-1.9T Contributable to Energy Saving. [IEEE TRANSACTIONS ON MAGNETICS, **48** (4), (2012), 1331-1335]  
Makino, A
- 244) Fabrication and Characterization of an FeBNdNb Magnetic Metallic Glass Thin Film. [JAPANESE JOURNAL OF APPLIED PHYSICS, **51** (5), (2012), 055803]  
Phan, TA, Lee, S, Makino, A, Oguchi, H, Okamoto, H, Kuwano, H
- 245) Formation and Thermal Stability of Cu-Based Metallic Glasses with High Glass-Forming Ability. [METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE, **43A** (8), (2012), 2592-2597]  
Zhou, BW, Zhang, W, Zhang, XG, Kimura, H, Makino, A, Inoue, A
- 246) Enhancement of glass-forming ability of FeSiBP bulk glassy alloys with good soft-magnetic properties and high corrosion resistance. [JOURNAL OF ALLOYS AND COMPOUNDS, **533**, (2012), 67-70]  
Chang, CT, Qin, CL, Makino, A, Inoue, A
- 247) Formation of bulk metallic glass in situ nanocomposite in (Cu<sub>50</sub>Zr<sub>43</sub>Al<sub>7</sub>)<sub>99</sub>Si<sub>1</sub> alloy. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **553**, (2012), 10-13]  
Malekan, M, Shabestari, SG, Zhang, W, Seyedein, SH, Gholamipour, R, Yubuta, K, Makino, A, Inoue, A

- 248) Role of Si in high B-s and low core-loss Fe<sub>85.2</sub>B<sub>10</sub>-XP<sub>4</sub>Cu<sub>0.8</sub>Si<sub>x</sub> nano-crystalline alloys. [JOURNAL OF APPLIED PHYSICS, **112** (10), (2012), 103902]  
Zhang, ZQ, Sharma, P, Makino, A
- 249) Effects of Cu, Fe and Co addition on the glass-forming ability and mechanical properties of Zr-Al-Ni bulk metallic glasses. [SCIENCE CHINA-PHYSICS MECHANICS & ASTRONOMY, **55** (12), (2012), 2367-2371]  
Li, YH, Zhang, W, Dong, C, Makino, A
- 250) Glass-forming ability and mechanical properties of Zr-Ni-Al bulk metallic glasses with high Zr content. [Materials Science Forum, **750**, (2013), 306-310]  
Li, Y, Zhang, W, Dong, C, Makino, A
- 251) Electrochemical behavior of annealed soft-magnetic FeSiBPCu alloy. [Materials Transactions, **54** (4), (2013), 561-565]  
Dan, Z, Yamada, Y, Zhang, Y, Nishijima, M, Hara, N, Matsumoto, H, Makino, A
- 252) Magnetic Field Effects on Crystallization of Iron-Based Amorphous Alloys. [Materials Transactions, **54** (2), (2013), 188-191]  
Onodera, R, Kimura, S, Watanabe, K, Lee, S, Yokoyama, Y, Makino, A, Koyama, K
- 253) Nickel-stabilized nanoporous copper fabricated from ternary TiCuNi amorphous alloys. [MATERIALS LETTERS, **94**, (2013), 128-131]  
Dan, ZH, Qin, FX, Sugawara, Y, Muto, I, Makino, A, Hara, N
- 254) Magnetic properties and structure of Fe<sub>83.3-85.8</sub>B<sub>7.0-4.5</sub>P<sub>9</sub>Cu<sub>0.7</sub> nanocrystalline alloys. [J. Appl. Phys., **113**, (2013), 17A311]  
Akiri Urata, Makoto Yamaki, Kaoru Satake, Hiroyuki Matsumoto, Akihiro Makino
- 255) Correlation between the glass-forming ability and activation energy of crystallization for Zr<sub>75-x</sub>Ni<sub>25</sub>Al<sub>x</sub> metallic glasses. [International Journal of Minerals Metallurgy and Materials, **20** (5), (2013), 445-449]  
Yan-hui Li, Wei Zhang, Chuang Dong, Jian-bing Qiang, Akihiro Makino
- 256) Sintered powder cores of high Bs and low coreloss Fe<sub>84.3</sub>Si<sub>4</sub>B<sub>8</sub>P<sub>3</sub>Cu<sub>0.7</sub> nano-crystalline alloy. [AIP Advances, **3**, (2013), 062118]  
Yan Zhang, Parmanand Sharma, Akihiro Makino
- 257) On the growth and magnetic properties of flower-like nanostructures formed on diffusion of FePt with Si substrate. [JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, **337**, (2013), 38-45]  
Sharma, P, Kaushik, N, Esashi, M, Nishijima, M, Makino, A
- 258) Isothermal Crystallization of Iron-Based Amorphous Alloys in a High Magnetic Field. [Materials Transactions, **54** (7), (2013), 1232-1235]  
Onodera R., Kimura S., Watanabe K., Yokoyama Y., Makino A.
- 259) Glass-Forming Ability, Corrosion Resistance and Mechanical Properties of Zr<sub>60-x</sub>Al<sub>15</sub>Ni<sub>25</sub>TM<sub>x</sub> (TM = Nb and Ta) Bulk Metallic Glasses. [Materials Transactions, **54** (8), (2013), 1368-1372]  
Li Y.H., Zhang W., Dong C., Yamaura S., Makino A.
- 260) Effects of P Addition on Corrosion Properties of Soft Magnetic FeSiB Alloys. [Materials Transactions, **54** (9), (2013), 1691-1696]  
Zhenhua Dan, Akihiro Makino, Nobuyoshi Hara
- 261) Entropies in Alloy Design for High-Entropy and Bulk Glassy Alloys. [Entropy, **15** (9), (2013), 3810-3821]  
Takeuchi A., Amiya K., Wada T., Yubuta K., Zhang W., Makino A.
- 262) Nanoporous palladium fabricated from an amorphous Pd<sub>42.5</sub>Cu<sub>30</sub>Ni<sub>7.5</sub>P<sub>20</sub> precursor and its ethanol electro-oxidation performance. [Electrochimica Acta, **108**, (2013), 512-519]  
Dan Z., Qin F.X., Wada T., Yamaura S., Xie G.Q., Sugawara Y., Muto I., Makino A., Hara N.

- 263) Effects of cryogenic temperatures on mechanical behavior of a  $Zr_{60}Ni_{25}Al_{15}$  bulk metallic glass. [MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, **584**, (2013), 7-13]  
 Li, YH, Zhang, W, Dong, C, Kawashima, A, Makino, A, Liaw, PK
- 264) Direct synthesis of amorphous carbon nanotubes on  $Fe_{76}Si_9B_{10}P_5$  glassy alloy particles. [Journal of Alloys and Compounds, **581**, (2013), 282-288]  
 He C., Chen L., Shi C., Zhang C., Liu E., Li J., Zhao N., Wang X.M., Makino A., Inoue A.
- 265) Refinement of Nanoporous Copper by Dealloying MgCuY Amorphous Alloys in Sulfuric Acids Containing Polyvinylpyrrolidone. [Journal of the Electrochemical Society, **161** (3), (2014), C120-C125]  
 Dan Z.H., Qin F.X., Yamaura S., Xie G.Q., Makino A., Hara N.
- 266) Alloy Designs of High-Entropy Crystalline and Bulk Glassy Alloys by Evaluating Mixing Enthalpy and Delta Parameter for Quinary to Decimal Equi-Atomic Alloys. [Materials Transactions, **55** (1), (2014), 165-170]  
 Takeuchi A., Amiya K., Wada T., Yubuta K., Zhang W., Makino A.
- 267) Micro viscous flow processing of Fe-based metallic glassy particles. [Journal of Alloys and Compounds, **615** (1), (2014), S61-S66]  
 Yodoshi N., Yamada R., Kawasaki A., Makino A.
- 268) Fabrication of nanoporous copper by dealloying of amorphous Ti-Cu-Ag alloys. [Journal of Alloys and Compounds, **586**, (2014), 134-138]  
 Dan Z., Qin F.X., Makino A., Sugawara Y., Muto I., Hara
- 269) Effect of P addition on the structure and magnetic properties of melt-spun Fe-Pt-B alloy. [Journal of Alloys and Compounds, **586**, (2014), 294-297]  
 Zhang W., Kazahari A., Yubuta K., Makino A., Wang Y.M., Umetsu R., Li Y.H.
- 270) Magnetic memory effects in nickel ferrite/polymer nanocomposites. [Applied Physics Letters, **104** (12), (2014), 122407-1-122407-5]  
 Malik R, Sehdev N., Lamba S., Sharma P., Makino A., Annapoorni S.
- 271) Effect of Metalloid Elements on the Structures and Soft Magnetic Properties in  $Fe_{85.2}Si_xB_{14-x-y}P_yCu_{0.8}$  Alloys. [IEEE Transactions on Magnetism, **50** (4), (2014), 6668874-1-6668874-4]  
 Takenaka K., Nishijima M., Makino A.
- 272) X-Ray Absorption Studies of  $Fe_{85}Si_2B_8P_4Cu_1$  Alloy. [IEEE TRANSACTIONS ON MAGNETICS, **50** (4), (2014), 2004004]  
 Nishijima, M, Matsuura, M, Zhang, Y, Takenaka, K, Makino, A
- 273) Dependence of Soft Magnetic Properties of  $Fe_{81-85.5}Si_2B_{10}P_{1.5-6}Cu_1$  Alloys on P Content. [Ieee Transactions on Magnetism, **50** (4), (2014), 2003104]  
 Dan, Z. H.; Yamada, Y.; Makino, A
- 274) Potential of Metallic Glass Thin Films as a Soft Magnetic Underlayer for L1(0) FePt-Based. [IEEE TRANSACTIONS ON MAGNETICS, **50** (4), (2014), 3201404]  
 Kaushik, N; Sharma, P; Makino, A; Tanaka, S; Esashi, M
- 275) Role of P in Nanocrystallization of  $Fe_{85}Si_2B_8P_4Cu_1$ . [IEEE TRANSACTIONS ON MAGNETICS, **50** (4), (2014), 2003304]  
 Matsuura, M; Zhang, Y; Nishijima, M; Makino, A;
- 276) Effects of Cobalt Addition in Nanocrystalline  $Fe_{83.3}Si_4B_8P_4Cu_{0.7}$  Soft Magnetic Alloy. [Ieee Transactions on Magnetism, **50** (4), (2014), 2003004]  
 Zhang, Y.; Sharma, P.; Makino, A.
- 277) Phase transition from fcc to bcc structure of the Cu-clusters during nanocrystallization of  $Fe_{85.2}Si_1B_9P_4Cu_{0.8}$  soft magnetic alloy. [AIP ADVANCES, **4** (5), (2014), 057129]

- Matsuura, M; Takenaka, K; Takeuchi, A; Ofuchi, H; Makino, A;
- 278) Influence of Microstructure on Soft Magnetic Properties of Low Coreloss and High  $B_s$  Fe<sub>85</sub>Si<sub>2</sub>B<sub>8</sub>P<sub>4</sub>Cu<sub>1</sub> Nanocrystalline Alloy. [Journal of Applied Physics, **115** (17), (2014), 17A340-1-17A340-3]  
Sharma P., Zhang X., Zhang Y., Makino A.
- 279) Nano-Crystallization and Magnetic Mechanisms of Fe<sub>85</sub>Si<sub>2</sub>B<sub>8</sub>P<sub>4</sub>Cu<sub>1</sub> Amorphous Alloy by Ab Initio Molecular Dynamics Simulation. [Journal of Applied Physics, **115** (17), (2014), 173910-1-173910-5]  
Wang Y.C., Takeuchi A., Makino A., Y.Y. Liang, Kawazoe Y.
- 280) Sintered Magnetic Cores of High  $B_s$  Fe<sub>84.3</sub>Si<sub>4</sub>B<sub>8</sub>P<sub>3</sub>Cu<sub>0.7</sub> Nano-Crystalline Alloy with a Lamellar Microstructure. [Journal of Applied Physics, **115** (17), (2014), 17A322-1-17A322-3]  
Zhang Y., Sharma P., Makino A.
- 281) Metallic glass thin films for potential biomedical applications. [Journal of Biomedical Materials Research Part B: Applied Biomaterials, **102** (7), (2014), 1544-1552]  
Kaushik N., Sharma P., Ahadian S., Khademhosseini A., Takahashi M., Makino A., Tanaka S., Esashi M.
- 282) Enhancement of glass-forming ability and plasticity of Cu-rich Cu-Zr-Al bulk metallic glasses by minor addition of Dy. [Journal of Materials Research, **29** (12), (2014), 1362-1368]  
B.W. Zhou, L. Deng, X.G. Zhang, W. Zhang, H.M. Kimura, A. Makino
- 283) Crystallization kinetics of high iron concentration amorphous alloys under high magnetic fields. [Journal of Alloys and Compounds, **604** (8), (2014), 8-11]  
Onodera R., Kimura S., Watanabe K., Yokoyama Y., Makino A., Koyama K.
- 284) MeV 電子照射による FeSiBPCu 合金のナノ結晶化過程の動的観察. [日本金属学会誌, **54** (9), (2014), 364-368]  
Shimizu K., Nishijima M., Takeuchi A., Nagase T., Yasuda H., Makino A.
- 285) The Effects of Fe<sub>2</sub>P and Fe<sub>3</sub>P Intermediate Equilibrium Phases on Glass-Forming Ability of Fe<sub>76</sub>Si<sub>9</sub>B<sub>10</sub>P<sub>5</sub> Bulk Metallic Glass. [Materials Transactions, **55** (10), (2014), 1575-1581]  
Takeuchi A., Makino A.
- 286) Effect of Si Addition on the Corrosion Properties of Amorphous Fe-Based Soft Magnetic Alloys. [Journal of Non-Crystalline Alloys, **402**, (2014), 36-43]  
Dan Z., Takenaka K., Zhang Y., Unami S., Takeuchi A., Hara N., Makino A.
- 287) Fe-Rich Fe-Si-B-P-Cu Powder Cores for High-Frequency Power Electronic Applications. [IEEE Transactions on Magnetics, **50** (11), (2014), 2006804-1-2006804-4]  
Zhang Y., Sharma P., Makino A.
- 288) Stress relaxation behavior of Fe-Co-Si-B-Nb metallic glassy alloys in their supercooled-liquid state. [Journal of Alloys and Compounds, **612**, (2014), 243-251]  
Yodoshi N., Yamada R., Kawasaki A., Makino A.
- 289) Thermodynamic Assessment of Fe-B-P-Cu Nanocrystalline Soft Magnetic Alloys for Their Crystallizations from Amorphous Phase. [Materials Transactions, **55** (12), (2014), 1852-1858]  
Takeuchi A., Makino A.
- 290) Mechanical properties and corrosion resistance of a new Zr<sub>56</sub>Ni<sub>20</sub>Al<sub>15</sub>Nb<sub>4</sub>Cu<sub>5</sub> bulk metallic glass with a diameter up to 25 mm. [Journal of Alloys and Compounds, **615**, (2014), S71-S74]  
Li Y.H., Zhang W., Qin F.X., Makino A.
- 291) Structural heterogeneity of the melt-spun (Fe, Co)-Si-B-P-Cu alloy with excellent soft magnetic properties. [Physics Procedia, **75**, (2015), 1376-1380]  
Sato, Kazuhisa; Takenaka, Kana; Makino, Akihiro; Hirotsu, Yoshihiko
- 292) First-principle simulation on the crystallization tendency and enhanced magnetization of Fe<sub>76</sub>B<sub>19</sub>P<sub>5</sub> amorphous alloy. [Materials Research Express, **2** (1), (2015), 016506-1-016506-10]

- Wang Y.C., Zhang Y., Takeuchi A., Makino A., Liang Y.Y., Kawazoe Y.
- 293) Production and Properties of Soft Magnetic Cores Made From Fe-Rich FeSiBPCu Powders. [IEEE Transactions on Magnetics, **51** (1), (2015), 2800104-1-2800104-4]  
Zhang Y., Sharma P., Makino A.
- 294) Competition driven nanocrystallization in high  $B_s$  and low coreloss Fe-Si-B-P-Cu soft magnetic alloys. [Scripta Materialia, **95**, (2015), 3-6]  
Sharma P., Zhang X., Zhang Y., Makino A.
- 295) In-situ Lorentz microscopy of  $\text{Fe}_{85}\text{Si}_2\text{B}_8\text{P}_4\text{Cu}_1$  nanocrystalline soft magnetic alloys. [Journal of Magnetism and Magnetic Materials, **375**, (2015), 10-14]  
Akase Z., Aizawa S., Shindo D., Sharma P., Makino A.
- 296) Preferentially Oriented Growth of  $\text{L}_{10}$  Fe Pt on Si Substrate. [Acta Physica Polonica A, **127** (2), (2015), 611-613]  
Kaushik N., Sharma P., Tanaka S., Makino A., Esashi M.
- 297) Production of Nanocrystalline (Fe, Co)-Si-B-P-Cu Alloy with Excellent Soft Magnetic Properties for Commercial Applications. [Materials Transactions, **56** (3), (2015), 372-376]  
Takenaka K., Setyawan A.D., Zhang Y., Sharma P., Nishiyama N., Makino A.
- 298) Observation of Cu nanometre scale clusters formed in  $\text{Fe}_{85}\text{Si}_2\text{B}_8\text{P}_4\text{Cu}_1$  nanocrystalline soft magnetic alloy by a spherical aberration-corrected TEM/STEM. [Philosophical Magazine Letters, **95** (5), (2015), 277-284]  
Nishijima M., Matsuura M., Zhang Y., Makino A.
- 299) Production of a magnetic material with the ability to change from very soft to semi-hard magnetic. [Journal of Applied Physics, **117** (17), (2015), 17E507-1-17E507-4]  
Zhang Y., Sharma P., Yodoshi N., Makino A.
- 300) Atomic packing and diffusion in  $\text{Fe}_{85}\text{Si}_2\text{B}_9\text{P}_4$  amorphous alloy analyzed by ab initio molecular dynamics simulation. [Journal of Applied Physics, **117** (17), (2015), 17B705-1-17B705-4]  
Wang Y.C., Takeuchi A., Makino A., Liang Y.Y., Kawazoe Y.
- 301) Thermodynamic analysis of binary  $\text{Fe}_{85}\text{B}_{15}$  to quinary  $\text{Fe}_{85}\text{Si}_2\text{B}_8\text{P}_4\text{Cu}_1$  alloys for primary crystallizations of alpha-Fe in nanocrystalline soft magnetic alloys. [Journal of Applied Physics, **117** (17), (2015), 17B737-1-17B737-4]  
Takeuchi A., Zhang Y., Takenaka K., Makino A.
- 302) Performance of a prototype power transformer constructed by nanocrystalline Fe-Co-Si-B-P-Cu soft magnetic alloys. [Journal of Applied Physics, **117** (17), (2015), 17D519-1-17D519-4]  
Takenaka K., Nishiyama N., Setyawan A.D., Sharma P., Makino A.
- 303) Magnetic properties of 120-mm wide ribbons of high  $B_s$  and low core-loss NANOMET<sup>R</sup> alloy. [Journal of Applied Physics, **117** (17), (2015), 17B715-1-17B715-4]  
Setyawan A.D., Takenaka K., Sharma P., Nishijima M., Nishiyama N., Makino A.
- 304) Evolution of fcc Cu clusters and their structure changes in the soft magnetic  $\text{Fe}_{85.2}\text{Si}_1\text{B}_9\text{P}_4\text{Cu}_{0.8}$  (NANOMET) and FINEMET alloys observed by X-ray absorption fine structure. [Journal of Applied Physics, **117** (17), (2015), 17A324-1-17A324-4]  
Matsuura M., Nishijima M., Takenaka K., Takeuchi A., Ofuchi H., Makino A.
- 305) Direct imaging of structural heterogeneity of the melt-spun  $\text{Fe}_{85.2}\text{Si}_2\text{B}_8\text{P}_4\text{Cu}_{0.8}$  alloy. [AIP Advances, **5** (6), (2015), 067166-1-067166-5]  
Sato K., Takenaka K., Makino A., Hirotsu Y.
- 306) Nucleation control for fine nano crystallization of Fe-based amorphous alloy by high-magnetic-field annealing. [Journal of Alloys and Compounds, **637**, (2015), 213-218]  
Onodera R., Kimura S., Watanabe K., Yokoyama Y., Makino A., Koyama K.

- 307) Evaluation of critical cooling rate of  $\text{Fe}_{76}\text{Si}_9\text{B}_{10}\text{P}_5$  metallic glass by containerless solidification process. [Journal of Alloys and Compounds, **643**, (2015), S2-S7]  
Yodoshi N., Yamada R., Kawasaki A., Makino A.
- 308) Bulk amorphous powder cores with low core loss by spark-plasma sintering  $\text{Fe}_{76}\text{Si}_{9.6}\text{B}_{8.4}\text{P}_6$  amorphous powder with small amounts of  $\text{SiO}_2$ . [Journal of Alloys and Compounds, **647**, (2015), 917-920]  
Li X., Lu G.H., Zhang Z.Q., Ju D.Y. Makino A.
- 309) Magnetic Influence of Alloying Elements in Fe-Rich Amorphous Alloys Studied by Ab Initio Molecular Dynamics Simulations. [IEEE Transactions on Magnetics, **51** (11), (2015), 2006504-1-2006504-4]  
Wang Y.C., Zhan Y., Takeuchi A., Makino A., Liang Y.Y., Kawazoe Y.
- 310) An Artificially Produced Rare-Earth Free Cosmic Magnet. [Scientific Reports, **5**, (2015), 16627-1-16627-7]  
Makino A., Sharma P., Sato K., Takeuchi A., Zhang Y., Takenaka K.
- 311) Structure analyses of Cu nanoclusters in the soft magnetic  $\text{Fe}_{85.2}\text{Si}_{1.1}\text{B}_{9.4}\text{P}_{4.0}\text{Cu}_{0.8}$  alloy by XAFS and fcc cluster model. [Journal of Physics Conference Series, **712**, (2016), 012106]  
Matsuura, M., Nishijima, M., Konno, K., Ofuchi, H., Takenaka, K., Makino, A
- 312) Industrialization of nanocrystalline Fe-Si-B-P-Cu alloys for high magnetic flux density cores. [Journal of Magnetism and Magnetic Materials, **401**, (2016), 479-483]  
Takenaka K., Setyawan A.D., Sharma P., Nishiyama N., Makino A.
- 313) Mechanically strong nanocrystalline Fe-Si-B-P-Cu soft magnetic powder cores utilizing magnetic metallic glass as a binder. [AIP Advances, **6** (5), (2016), 055934-1-055934-7]  
Luan J., Sharma P., Yodoshi N., Zhang Y., Makino A.
- 314) Outstanding efficiency in energy conversion for electric motors constructed by nanocrystalline soft magnetic alloy "NANOMET" cores. [AIP Advances, **6** (5), (2016), 055925-1-055925-5]  
Nishiyama N., Tanimoto T., Makino A.
- 315) Crystallization induced ordering of hard magnetic  $\text{L}_{10}$  phase in melt-spun FeNi-based ribbons. [AIP Advances, **6** (5), (2016), 055218-1-055218-9]  
Sato K., Sharma P., Zhang Y., Takenaka K., Makino A.
- 316) Unusual high  $B_s$  for Fe-based amorphous powders produced by a gas-atomization technique. [AIP Advances, **6** (5), (2016), 055933-1-055933-7]  
Yoshida K., Bito M., Kageyama J., Shimizu Y., Abe M., Makino A.
- 317) Structural, mechanical and optical properties of thin films deposited from a graphitic carbon nitride target. [Diamond and Related Materials, **66**, (2016), 149-156]  
Kaushik N., Sharma P., Nishijima M., Makino A., Esashi M., Tanaka S.
- 318) Temperature Dependency of Viscosity of  $\text{Fe}_{76}\text{Si}_9\text{B}_{10}\text{P}_5$  Supercooled Liquid and Hetero-Amorphous Structure. [Journal of Alloys and Compounds, **679**, (2016), 164-168]  
Yodoshi N., Ookawa S., Yamada R., Kawasaki A., Makino A.
- 319) Effect of Substitution of Cu by Au and Ag on Nanocrystallization Behavior of  $\text{Fe}_{83.3}\text{Si}_4\text{B}_8\text{P}_4\text{Cu}_{0.7}$  Soft Magnetic Alloy. [Journal of Alloys and Compounds, **683**, (2016), 263-270]  
Dan Z., Zhang Y., Takeuchi A., Hara N., Qin F.X., Makino A., Chang H.
- 320) Mechanism of active dissolution of nanocrystalline Fe-Si-B-P-Cu soft magnetic alloys. [MATERIALS CHARACTERIZATION, **121**, (2016), 9-16]  
Dan, ZH; Qin, FX; Zhang, Y; Makino, A; Chang, H; Hara, N;
- 321) Stress-Enhanced Transformations from Hypothetical B2 to Stable  $\text{L}_{10}$  and Amorphous to fcc Phases in  $\text{Fe}_{50}\text{Ni}_{50}$  Binary Alloy by Molecular Dynamic Simulations. [Materials Transactions, **58** (4), (2017), 646-654]  
Takeuchi A., Takenaka K., Zhang Y., Wang Y.C., Makino A.

- 322) Fe-Si-B-P-C-Cu nanocrystalline soft magnetic powders with high B-s and low core loss. [AIP ADVANCES, **7** (5), (2017), 056111]
- Takahashi, T., Yoshida, K., Shimizu, Y., Setyawan, AD., Bito, M., Abe, M., Makino, A
- 323) Effects of minor precipitation of large size crystals on magnetic properties of Fe-Co-Si-B-P-Cu alloy. [JOURNAL OF ALLOYS AND COMPOUNDS, **709**, (2017), 663-667]
- Zhang, Yan; Sharma, Parmanand; Makino, Akihiro